

Home	Who We Are	What We Do	Collect Data	Photos	Links	Contact Us
----------------------	----------------------------	----------------------------	------------------------------	------------------------	-----------------------	----------------------------

Complete Research Study using the charts for 368 Religious Figures

***This research was done using Air Software's
Astro Investigator Research Software.***

Please note that for this research we have used the natal charts for priests, monks, friars, brothers, nuns, popes, bishops, saints, ministers and other clergymen and clergywomen.

We employed the Placidus house system with modern rulers and used the mean node.

This research was conducted according the scientific principles of research, using the chi square and R test and random control groups.

Items presented:

[Planets and Points in Zodiac](#)

[Planets and Points in Zodiac Elements](#)

[Planets and Points in Zodiac Qualities](#)

[Natal Aspects](#)

[Sign on House Cusps](#)

[House Cusp in Elements](#)

[House Cusp in Cross](#)

[House](#)

[Planets in Elements Houses](#)

[Planet in Cross Houses](#)

[Planets Hi or Low in the Charts](#)

[House Ruler in Houses](#)

[House ruler in signs](#)

[House Rulers Retrograded](#)

[Borderline Planets in Signs](#)

[Intercepted Planets in the Natal Chart](#)

[Retrograded Planets in the Natal Charts](#)

[Planet Phases](#)

[Planetary Phases Aspects](#)

[Planet Rising before Sun](#)

[Planet Rising before the Moon](#)

[Planet Making Stations](#)

[Planet Speed](#)

[Planet Occultations](#)

[Planet in Receptions](#)

Planets and Points in Zodiac

(Ep)ε(♈)	15	30(20..38)	Seldom ChSq=7.5 (99.4%) r=-0.1241
(O)ε(♌)	15	28(20..39)	Seldom ChSq=6.0 (98.6%) r=-0.1099
(Vx)ε(♈)	53	38(30..48)	Often ChSq=5.9 (98.5%) r=0.0906
(Ep)ε(♍)	43	30(24..37)	Often ChSq=5.6 (98.2%) r=0.0863
(σ)ε(♈)	24	38(31..49)	Seldom ChSq=5.2 (97.7%) r=-0.1000
(D)ε(♈)	40	28(20..34)	Often ChSq=5.1 (97.7%) r=0.0823
(σ)ε(♎)	41	29(20..36)	Often ChSq=5.0 (97.4%) r=0.0812
(Vx)ε(♍)	16	27(20..37)	Seldom ChSq=4.5 (96.6%) r=-0.0930
(O)ε(♋)	36	26(17..36)	Often ChSq=3.8 (95.0%) r=0.0714
(φ)ε(♌)	21	32(22..43)	Seldom ChSq=3.8 (94.8%) r=-0.0844
(D)ε(♍)	20	30(16..40)	Seldom ChSq=3.3 (93.2%) r=-0.0788
(Ep)ε(♎)	36	27(19..38)	Often ChSq=3.0 (91.7%) r=0.0638
(D)ε(♏)	37	28(19..37)	Often ChSq=2.9 (91.1%) r=0.0629
(O)ε(♍)	39	30(23..35)	Often ChSq=2.7 (90.0%) r=0.0613
(A)ε(♈)	22	31(24..40)	Seldom ChSq=2.6 (89.4%) r=-0.0691
(σ)ε(♌)	18	26(18..33)	Seldom ChSq=2.5 (88.3%) r=-0.0669
(O)ε(♈)	22	30(22..43)	Seldom ChSq=2.1 (85.6%) r=-0.0619
(D)ε(♍)	19	26(19..37)	Seldom ChSq=1.9 (83.0%) r=-0.0579
(φ)ε(♍)	19	26(18..35)	Seldom ChSq=1.9 (83.0%) r=-0.0579
(Q)ε(♉)	34	27(20..31)	Often ChSq=1.8 (82.2%) r=0.0504

(φ)ε(♎)	21	28(23..38)	Seldom ChSq=1.8 (81.3%) r=-0.0557
(D)ε(♎)	23	30(22..38)	Seldom ChSq=1.6 (79.8%) r=-0.0537
(Ep)ε(♈)	24	31(22..39)	Seldom ChSq=1.6 (79.1%) r=-0.0528
(σ)ε(♎)	27	34(25..40)	Seldom ChSq=1.4 (77.0%) r=-0.0504
(Q)ε(♎)	31	25(14..34)	Often ChSq=1.4 (77.0%) r=0.0449
(Q)ε(♈)	20	26(13..36)	Seldom ChSq=1.4 (76.1%) r=-0.0491
(Q)ε(♋)	21	27(16..34)	Seldom ChSq=1.3 (75.2%) r=-0.0482
(Q)ε(♋)	35	29(21..38)	Often ChSq=1.2 (73.5%) r=0.0423
(φ)ε(♍)	37	31(22..39)	Often ChSq=1.2 (71.8%) r=0.0411
(φ)ε(♏)	37	31(23..42)	Often ChSq=1.2 (71.8%) r=0.0411

Planets and Points in Zodiac Elements

(♃)€ (WATER ZOD)	88	87(80..100)	Seldom ChSq=5.6 (98.2%) r=-0.1084
(♃)€ (AIR ZOD)	99	83(67..109)	Often ChSq=3.1 (92.1%) r=0.0741
(♄)€ (FIRE ZOD)	73	89(74..111)	Seldom ChSq=2.9 (91.0%) r=-0.0771
(♄)€ (FIRE ZOD)	74	89(69..108)	Seldom ChSq=2.5 (88.8%) r=-0.0721
(♃)€ (FIRE ZOD)	102	88(75..101)	Often ChSq=2.2 (86.4%) r=0.0640
(♄)€ (FIRE ZOD) HELIO	78	92(80..107)	Seldom ChSq=2.1 (85.5%) r=-0.0663
(♄)€ (EARTH ZOD) HELIO	94	81(67..102)	Often ChSq=2.1 (85.1%) r=0.0610
(♁)€ (EARTH ZOD)	108	94(70..111)	Often ChSq=2.1 (85.1%) r=0.0628
(♁)€ (AIR ZOD) HELIO	99	86(71..99)	Often ChSq=2.0 (83.9%) r=0.0599
(♁)€ (AIR ZOD)	73	86(67..101)	Seldom ChSq=2.0 (83.9%) r=-0.0630
(♄)€ (FIRE ZOD)	73	85(70..94)	Seldom ChSq=1.7 (80.6%) r=-0.0583
(♄)€ (EARTH ZOD)	97	85(70..101)	Often ChSq=1.7 (80.6%) r=0.0556
(♁)€ (AIR ZOD) HELIO	73	85(70..93)	Seldom ChSq=1.7 (80.6%) r=-0.0583
(♁)€ (EARTH ZOD)	95	84(67..102)	Often ChSq=1.4 (77.0%) r=0.0512
(♁)€ (WATER ZOD) HELIO	95	84(67..102)	Often ChSq=1.4 (77.0%) r=0.0512
(♁)€ (EARTH ZOD) HELIO	101	90(76..106)	Often ChSq=1.3 (75.4%) r=0.0502
(♁)€ (WATER ZOD)	101	90(76..106)	Often ChSq=1.3 (75.4%) r=0.0502
(♁)€ (FIRE ZOD)	102	91(66..104)	Often ChSq=1.3 (75.1%) r=0.0500
(♄)€ (FIRE ZOD) HELIO	78	88(70..100)	Seldom ChSq=1.1 (71.3%) r=-0.0478
(♁)€ (AIR ZOD)	78	88(70..100)	Seldom ChSq=1.1 (71.3%) r=-0.0478

Planets and Points in Zodiac Qualities

(♁)€ (♈♉♊)	142	117(101..132)	Often ChSq=5.3 (97.9%) r=0.1053
(♄)€ (♈♉♊)	97	115(94..137)	Seldom ChSq=2.8 (90.7%) r=-0.0796
(♄)€ (♈♉♊)	134	116(103..130)	Often ChSq=2.8 (90.6%) r=0.0764
(♃)€ (♈♉♊)	97	114(99..132)	Seldom ChSq=2.5 (88.8%) r=-0.0753
(♄)€ (♈♉♊) HELIO	129	113(95..140)	Often ChSq=2.3 (86.8%) r=0.0684
(♁)€ (♈♉♊)	97	112(89..133)	Seldom ChSq=2.0 (84.4%) r=-0.0666
(♁)€ (♈♉♊) HELIO	97	112(89..133)	Seldom ChSq=2.0 (84.4%) r=-0.0666
(♁)€ (♈♉♊)	98	112(100..130)	Seldom ChSq=1.8 (81.3%) r=-0.0621
(♃)€ (♈♉♊)	131	117(104..131)	Often ChSq=1.7 (80.4%) r=0.0595
(♄)€ (♈♉♊)	129	116(100..132)	Often ChSq=1.5 (77.3%) r=0.0554
(♄)€ (♈♉♊) HELIO	104	117(89..133)	Seldom ChSq=1.4 (77.1%) r=-0.0569
(♄)€ (♈♉♊)	102	114(99..126)	Seldom ChSq=1.3 (73.9%) r=-0.0528
(♁)€ (♈♉♊) HELIO	105	117(97..131)	Seldom ChSq=1.2 (73.3%) r=-0.0524

Natal Aspects

(♆) (♁) (As) MAXORB 05°	24	11(6..15)	Often ChSq=15.4 (100.0%) r=0.1211
(♁) (♃) (♁) MAXORB 05°	35	19(12..26)	Often ChSq=13.5 (100.0%) r=0.1217
(♃) (♆) (♁) MAXORB 05°	32	18(8..28)	Often ChSq=10.9 (99.9%) r=0.1103
(♃) (♁) (♆) MAXORB 10°	21	41(30..54)	Seldom ChSq=9.8 (99.8%) r=-0.1429
(♁) (♁) (♁) MAXORB 05°	21	11(4..15)	Often ChSq=9.1 (99.7%) r=0.0972
(♁) (♆) (♆) MAXORB 05°	26	15(8..27)	Often ChSq=8.1 (99.5%) r=0.0951
(♁) (♁) (♁) MAXORB 05°	0	8(4..12)	Seldom ChSq=8.0 (99.5%) r=-0.1527
(♃) (♁) (♁) MAXORB 05°	16	8(3..12)	Often ChSq=8.0 (99.5%) r=0.0892
(♃) (♁) (♁) MAXORB 05°	23	13(6..17)	Often ChSq=7.7 (99.4%) r=0.0919
(♁) (♁) (♁) MAXORB 05°	31	19(7..28)	Often ChSq=7.6 (99.4%) r=0.0946

(♁) (♁) (♁) MAXORB 05°	32	20(11..31)	Often ChSq=7.2 (99.3%) r=0.0929
(♁) (♁) (As) MAXORB 05°	11	5(0..13)	Often ChSq=7.2 (99.3%) r=0.0815
(♁) (♁) (♁) MAXORB 05°	11	5(0..11)	Often ChSq=7.2 (99.3%) r=0.0815
(♁) (♁) (♆) MAXORB 05°	38	25(15..32)	Often ChSq=6.8 (99.1%) r=0.0922
(♃) (♁) (♆) MAXORB 10°	54	38(30..45)	Often ChSq=6.7 (99.1%) r=0.0961
(♃) (♁) (♁) MAXORB 05°	29	18(11..26)	Often ChSq=6.7 (99.1%) r=0.0892
(♆) (♁) (♁) MAXORB 05°	5	15(8..26)	Seldom ChSq=6.7 (99.1%) r=-0.1218
(♁) (♁) (♃) MAXORB 05°	18	10(6..14)	Often ChSq=6.4 (98.9%) r=0.0828
(♁) (♁) (♁) MAXORB 05°	22	13(4..22)	Often ChSq=6.2 (98.8%) r=0.0838
(♁) (♃) (♁) MAXORB 05°	22	13(6..22)	Often ChSq=6.2 (98.8%) r=0.0838

(♁) (♁) (♁) MAXORB 05°	22	13(5..22)	Often ChSq=6.2 (98.8%) r=0.0838
(♁) (♁) (♁) DECLIN MAXORB 01°	4	13(8..17)	Seldom ChSq=6.2 (98.8%) r=-0.1186
(♁) (♁) (♁) MAXORB 05°	15	8(1..17)	Often ChSq=6.1 (98.7%) r=0.0797
(♃) (♁) (♁) MAXORB 10°	22	37(26..46)	Seldom ChSq=6.1 (98.7%) r=-0.1096
(♁) (♃) (♁) MAXORB 05°	31	20(11..33)	Often ChSq=6.0 (98.6%) r=0.0859
(♃) (♁) (♁) MAXORB 05°	12	6(3..11)	Often ChSq=6.0 (98.6%) r=0.0769
(♆) (♁) (♁) MAXORB 05°	12	6(1..11)	Often ChSq=6.0 (98.6%) r=0.0769
(♃) (♁) (♁) MAXORB 10°	23	38(23..49)	Seldom ChSq=5.9 (98.5%) r=-0.1080
(♁) (♆) (♆) MAXORB 05°	27	17(13..24)	Often ChSq=5.9 (98.5%) r=0.0836
(♆) (♁) (♁) MAXORB 05°	27	17(9..24)	Often ChSq=5.9 (98.5%) r=0.0836

(σ) (κ) (As) MAXORB 05"	19	11(4..16)	Often ChSq=5.8 (98.4%) r=0.0802
(Ϟ) (κ) (As) MAXORB 05"	19	11(6..17)	Often ChSq=5.8 (98.4%) r=0.0802
(⊙) (κ) (Ep) MAXORB 05"	5	14(7..22)	Seldom ChSq=5.8 (98.4%) r=-0.1124
(ψ) (Ϸ) (Vx) MAXORB 05"	23	14(9..20)	Often ChSq=5.8 (98.4%) r=0.0816
(λ) (ι) (φ) DECLIN MAXORB 01"	5	14(7..20)	Seldom ChSq=5.8 (98.4%) r=-0.1124
(⊙) (□) (h ₂) MAXORB 05"	28	18(12..25)	Often ChSq=5.6 (98.2%) r=0.0819
(Ϟ) (κ) (Ω) MAXORB 05"	8	18(9..29)	Seldom ChSq=5.6 (98.2%) r=-0.1073
(φ) (κ) (Ω) MAXORB 05"	33	22(11..30)	Often ChSq=5.5 (98.1%) r=0.0830
(Ϟ) (ρ) (Ω) MAXORB 05"	2	9(4..15)	Seldom ChSq=5.4 (98.0%) r=-0.1142
(φ) (II) (↓) MAXORB 05"	16	9(4..14)	Often ChSq=5.4 (98.0%) r=0.0765

(σ) (H) (φ) DECLIN MAXORB 01"	2	9(3..14)	Seldom ChSq=5.4 (98.0%) r=-0.1142
(φ) (H) (Ϸ) DECLIN MAXORB 01"	6	15(5..24)	Seldom ChSq=5.4 (98.0%) r=-0.1071
(⊙) (Ϸ) (Ep) MAXORB 05"	20	12(5..18)	Often ChSq=5.3 (97.9%) r=0.0777
(D) (κ) (λ) MAXORB 10"	23	37(28..47)	Seldom ChSq=5.3 (97.9%) r=-0.1015
(D) (□) (λ) MAXORB 10"	51	37(28..53)	Often ChSq=5.3 (97.9%) r=0.0857
(D) (Δ) (Ϟ) MAXORB 10"	51	37(26..46)	Often ChSq=5.3 (97.9%) r=0.0857
(D) (ρ) (Ϟ) MAXORB 10"	9	19(12..30)	Seldom ChSq=5.3 (97.8%) r=-0.1036
(φ) (κ) (δ) MAXORB 05"	29	19(14..25)	Often ChSq=5.3 (97.8%) r=0.0803
(δ) (□) (φ) MAXORB 05"	9	19(9..25)	Seldom ChSq=5.3 (97.8%) r=-0.1036
(⊙) (N) (φ) MAXORB 05"	34	23(11..34)	Often ChSq=5.3 (97.8%) r=0.0816

(φ) (ρ) (φ) MAXORB 05"	1	7(3..11)	Seldom ChSq=5.1 (97.7%) r=-0.1145
(λ) (ι) (Ep) MAXORB 05"	13	7(1..13)	Often ChSq=5.1 (97.7%) r=0.0731
(D) (h) (Ω) MAXORB 10"	25	39(30..56)	Seldom ChSq=5.0 (97.5%) r=-0.0986
(⊙) (ρ) (↓) MAXORB 05"	10	5(2..10)	Often ChSq=5.0 (97.5%) r=0.0701
(φ) (Ϸ) (δ) MAXORB 05"	30	20(13..31)	Often ChSq=5.0 (97.5%) r=0.0788
(φ) (□) (As) MAXORB 05"	5	13(6..17)	Seldom ChSq=4.9 (97.4%) r=-0.1026
(h ₂) (h) (↓) MAXORB 05"	21	13(10..19)	Often ChSq=4.9 (97.4%) r=0.0755
(h ₂) (Ϸ) (Ep) MAXORB 05"	5	13(7..19)	Seldom ChSq=4.9 (97.4%) r=-0.1026
(Ϟ) (□) (Vx) MAXORB 05"	21	13(8..20)	Often ChSq=4.9 (97.4%) r=0.0755
(Ϸ) (h) (Vx) MAXORB 05"	21	13(7..21)	Often ChSq=4.9 (97.4%) r=0.0755

(♀) (♁) (Ep) MAXORB 05"	21	13(3..19)	Often ChSq=4.9 (97.4%) r=0.0755
(♁) (Q) (♁) MAXORB 10"	26	40(28..51)	Seldom ChSq=4.9 (97.3%) r=-0.0973
(Q) (H) (♁) MAXORB 05"	3	10(5..19)	Seldom ChSq=4.9 (97.3%) r=-0.1052
(♀) (H) (Q) MAXORB 05"	3	10(4..17)	Seldom ChSq=4.9 (97.3%) r=-0.1052
(♁) (H) (♀) DECLIN MAXORB 01"	17	10(3..17)	Often ChSq=4.9 (97.3%) r=0.0738
(♁) (N) (Vx) MAXORB 10"	42	30(19..38)	Often ChSq=4.8 (97.1%) r=0.0802
(♁) (N) (♀) MAXORB 05"	26	17(12..27)	Often ChSq=4.8 (97.1%) r=0.0761
(♁) (N) (♁) MAXORB 05"	11	21(10..30)	Seldom ChSq=4.8 (97.1%) r=-0.0972
(Q) (Δ) (Ep) MAXORB 05"	22	14(9..20)	Often ChSq=4.6 (96.7%) r=0.0735
(♀) (Δ) (♀) MAXORB 05"	22	14(9..21)	Often ChSq=4.6 (96.7%) r=0.0735

(h) (♁) (Ep) MAXORB 05"	22	14(7..21)	Often ChSq=4.6 (96.7%) r=0.0735
(h) (V) (Vx) MAXORB 05"	6	14(9..20)	Seldom ChSq=4.6 (96.7%) r=-0.0974
(♀) (N) (Vx) MAXORB 05"	6	14(7..19)	Seldom ChSq=4.6 (96.7%) r=-0.0974
(Q) (♁) (♀) DECLIN MAXORB 01"	22	14(7..18)	Often ChSq=4.6 (96.7%) r=0.0735
(♁) (Q) (♀) MAXORB 10"	24	37(27..48)	Seldom ChSq=4.6 (96.7%) r=-0.0936
(♀) (H) (As) MAXORB 05"	2	8(3..15)	Seldom ChSq=4.5 (96.6%) r=-0.1026
(♁) (N) (Q) MAXORB 05"	9	18(13..25)	Seldom ChSq=4.5 (96.6%) r=-0.0948
(♁) (h) (Q) MAXORB 05"	9	18(11..30)	Seldom ChSq=4.5 (96.6%) r=-0.0948
(♀) (Q) (As) MAXORB 05"	18	11(6..16)	Often ChSq=4.5 (96.5%) r=0.0713
(♁) (Δ) (Q) MAXORB 10"	25	38(28..49)	Seldom ChSq=4.4 (96.5%) r=-0.0922

(♀) (h) (♁) MAXORB 05"	33	23(14..34)	Often ChSq=4.3 (96.3%) r=0.0748
(♁) (Δ) (♀) MAXORB 10"	26	39(21..53)	Seldom ChSq=4.3 (96.2%) r=-0.0909
(Q) (V) (Vx) MAXORB 05"	7	15(10..19)	Seldom ChSq=4.3 (96.1%) r=-0.0930
(h) (K) (As) MAXORB 05"	7	15(9..18)	Seldom ChSq=4.3 (96.1%) r=-0.0930
(♀) (Δ) (Ep) MAXORB 05"	23	15(8..26)	Often ChSq=4.3 (96.1%) r=0.0717
(Q) (Q) (A) MAXORB 05"	28	19(13..23)	Often ChSq=4.3 (96.1%) r=0.0730
(Q) (Δ) (Q) MAXORB 05"	28	19(11..30)	Often ChSq=4.3 (96.1%) r=0.0730
(♀) (Q) (♁) MAXORB 05"	10	19(11..26)	Seldom ChSq=4.3 (96.1%) r=-0.0917
(♁) (Q) (♁) MAXORB 05"	28	19(11..27)	Often ChSq=4.3 (96.1%) r=0.0730
(h) (Q) (♀) MAXORB 05"	28	19(13..28)	Often ChSq=4.3 (96.1%) r=0.0730

(♠) (♠) (♠) MAXORB 05"	10	19(9..32)	Seldom ChSq=4.3 (96.1%) r=-0.0917
(♠) (♠) (♠) MAXORB 05"	14	24(13..36)	Seldom ChSq=4.2 (95.9%) r=-0.0896
(♠) (♠) (♠) MAXORB 05"	11	6(1..12)	Often ChSq=4.2 (95.9%) r=0.0659
(♠) (♠) (♠) MAXORB 05"	11	6(2..10)	Often ChSq=4.2 (95.9%) r=0.0659
(♠) (♠) (♠) MAXORB 05"	11	6(2..10)	Often ChSq=4.2 (95.9%) r=0.0659
(♠) (♠) (♠) MAXORB 05"	1	6(2..10)	Seldom ChSq=4.2 (95.9%) r=-0.1020
(♠) (♠) (♠) MAXORB 05"	19	12(5..21)	Often ChSq=4.1 (95.7%) r=0.0691
(♠) (♠) (♠) MAXORB 05"	19	12(5..18)	Often ChSq=4.1 (95.7%) r=0.0691
(♠) (♠) (♠) MAXORB 05"	19	12(7..19)	Often ChSq=4.1 (95.7%) r=0.0691
(♠) (♠) (♠) MAXORB 10"	29	20(9..31)	Often ChSq=4.0 (95.6%) r=0.0716

(♠) (♠) (♠) MAXORB 10"	11	20(12..29)	Seldom ChSq=4.0 (95.6%) r=-0.0888
(♠) (♠) (♠) MAXORB 05"	29	20(10..28)	Often ChSq=4.0 (95.6%) r=0.0716
(♠) (♠) (♠) MAXORB 05"	11	20(6..34)	Seldom ChSq=4.0 (95.6%) r=-0.0888
(♠) (♠) (♠) MAXORB 05"	11	20(13..27)	Seldom ChSq=4.0 (95.6%) r=-0.0888
(♠) (♠) (♠) MAXORB 05"	29	20(11..30)	Often ChSq=4.0 (95.6%) r=0.0716
(♠) (♠) (♠) MAXORB 05"	29	20(13..25)	Often ChSq=4.0 (95.6%) r=0.0716
(♠) (♠) (♠) MAXORB 05"	24	16(8..25)	Often ChSq=4.0 (95.5%) r=0.0699
(♠) (♠) (♠) MAXORB 05"	15	9(4..15)	Often ChSq=4.0 (95.5%) r=0.0669
(♠) (♠) (♠) MAXORB 05"	24	16(10..24)	Often ChSq=4.0 (95.5%) r=0.0699
(♠) (♠) (♠) MAXORB 05"	0	4(2..9)	No influence ChSq=4.0 (95.5%) r=-0.1077

(♠) (♠) (♠) MAXORB 05"	3	9(2..15)	Seldom ChSq=4.0 (95.5%) r=-0.0938
(♠) (♠) (♠) MAXORB 05"	3	9(3..13)	Seldom ChSq=4.0 (95.5%) r=-0.0938
(♠) (♠) (♠) MAXORB 05"	12	21(12..29)	Seldom ChSq=3.9 (95.0%) r=-0.0862
(♠) (♠) (♠) MAXORB 05"	30	21(12..27)	Often ChSq=3.9 (95.0%) r=0.0703
(♠) (♠) (♠) MAXORB 05"	36	26(17..34)	Often ChSq=3.8 (95.0%) r=0.0714
(♠) (♠) (♠) MAXORB 05"	36	26(16..38)	Often ChSq=3.8 (95.0%) r=0.0714
(♠) (♠) (♠) MAXORB 05"	20	13(8..20)	Often ChSq=3.8 (94.8%) r=0.0670
(♠) (♠) (♠) MAXORB 05"	20	13(8..19)	Often ChSq=3.8 (94.8%) r=0.0670
(♠) (♠) (♠) MAXORB 05"	6	13(5..19)	Seldom ChSq=3.8 (94.8%) r=-0.0874
(♠) (♠) (♠) MAXORB 05"	6	13(8..19)	Seldom ChSq=3.8 (94.8%) r=-0.0874

(Ϟ) (ϣ) (As) MAXORB 05"	6	13(8..20)	Seldom ChSq=3.8 (94.8%) r=-0.0874
(ϡ) (⌘) (Ep) MAXORB 05"	6	13(6..18)	Seldom ChSq=3.8 (94.8%) r=-0.0874
(ϣ) (ϣ) (Vx) MAXORB 05"	6	13(7..23)	Seldom ChSq=3.8 (94.8%) r=-0.0874
(⌘) (N) (Ep) MAXORB 05"	20	13(7..20)	Often ChSq=3.8 (94.8%) r=0.0670
(Ϟ) (⌘) (Vx) MAXORB 05"	20	13(6..16)	Often ChSq=3.8 (94.8%) r=0.0670
(D) (J) (As) MAXORB 10"	9	17(11..21)	Seldom ChSq=3.8 (94.7%) r=-0.0858
(ϣ) (ϣ) (h) MAXORB 05"	13	22(17..33)	Seldom ChSq=3.7 (94.5%) r=-0.0838
(σ) (L) (⊕) MAXORB 05"	31	22(17..28)	Often ChSq=3.7 (94.5%) r=0.0691
(h) (ϣ) (⊕) MAXORB 05"	13	22(14..30)	Seldom ChSq=3.7 (94.5%) r=-0.0838
(δ) (Δ) (⊕) MAXORB 05"	31	22(14..33)	Often ChSq=3.7 (94.5%) r=0.0691

(D) (K) (Vx) MAXORB 10"	22	33(19..45)	Seldom ChSq=3.7 (94.4%) r=-0.0830
(O) (ρ) (Ϟ) MAXORB 05"	4	10(5..15)	Seldom ChSq=3.6 (94.2%) r=-0.0870
(Ϟ) (II) (Ϟ) MAXORB 05"	4	10(4..17)	Seldom ChSq=3.6 (94.2%) r=-0.0870
(ϣ) (H) (Ϟ) DECLIN MAXORB 01"	16	10(5..17)	Often ChSq=3.6 (94.2%) r=0.0644
(O) (H) (Vx) MAXORB 05"	2	7(4..9)	Seldom ChSq=3.6 (94.1%) r=-0.0901
(h) (J) (As) MAXORB 05"	12	7(4..14)	Often ChSq=3.6 (94.1%) r=0.0624
(Ϟ) (H) (δ) MAXORB 05"	12	7(4..13)	Often ChSq=3.6 (94.1%) r=0.0624
(Ϟ) (ρ) (Q) MAXORB 05"	12	7(2..11)	Often ChSq=3.6 (94.1%) r=0.0624
(Q) (H) (Ϟ) DECLIN MAXORB 01"	12	7(2..12)	Often ChSq=3.6 (94.1%) r=0.0624
(h) (ϣ) (Ϟ) MAXORB 05"	10	18(11..26)	Seldom ChSq=3.6 (94.1%) r=-0.0828

(Ϟ) (L) (Ϟ) MAXORB 05"	26	18(11..25)	Often ChSq=3.6 (94.1%) r=0.0669
(Ϟ) (ϣ) (Ϟ) MAXORB 05"	26	18(10..32)	Often ChSq=3.6 (94.1%) r=0.0669
(ϡ) (L) (Ϟ) MAXORB 05"	26	18(11..29)	Often ChSq=3.6 (94.1%) r=0.0669
(ϡ) (K) (⊕) MAXORB 05"	26	18(12..27)	Often ChSq=3.6 (94.1%) r=0.0669
(⌘) (⌘) (Q) MAXORB 05"	10	18(12..23)	Seldom ChSq=3.6 (94.1%) r=-0.0828
(h) (Q) (ϣ) MAXORB 05"	14	23(15..31)	Seldom ChSq=3.5 (94.0%) r=-0.0816
(O) (J) (⊕) MAXORB 05"	21	14(7..19)	Often ChSq=3.5 (93.9%) r=0.0652
(ϣ) (K) (h) MAXORB 05"	21	14(9..22)	Often ChSq=3.5 (93.9%) r=0.0652
(Q) (⌘) (As) MAXORB 05"	21	14(7..20)	Often ChSq=3.5 (93.9%) r=0.0652
(Q) (ϣ) (As) MAXORB 05"	7	14(9..22)	Seldom ChSq=3.5 (93.9%) r=-0.0833

(♁) (♃) (♁) MAXORB 05°	7	14(10..20)	Seldom ChSq=3.5 (93.9%) r=-0.0833
(♂) (♁) (♁) MAXORB 05°	7	14(5..23)	Seldom ChSq=3.5 (93.9%) r=-0.0833
(♂) (♁) (♃) MAXORB 05°	21	14(10..19)	Often ChSq=3.5 (93.9%) r=0.0652
(♁) (♃) (♃) MAXORB 05°	21	14(9..23)	Often ChSq=3.5 (93.9%) r=0.0652
(♁) (♁) (♁) MAXORB 05°	21	14(5..21)	Often ChSq=3.5 (93.9%) r=0.0652
(♃) (♁) (♁) MAXORB 05°	7	14(8..19)	Seldom ChSq=3.5 (93.9%) r=-0.0833
(♁) (♁) (♁) MAXORB 05°	21	14(7..22)	Often ChSq=3.5 (93.9%) r=0.0652
(♁) (♃) (♃) MAXORB 05°	21	14(11..23)	Often ChSq=3.5 (93.9%) r=0.0652
(♁) (♁) (♃) MAXORB 05°	7	14(7..20)	Seldom ChSq=3.5 (93.9%) r=-0.0833
(♁) (♁) (♃) MAXORB 05°	7	14(9..23)	Seldom ChSq=3.5 (93.9%) r=-0.0833

Sign on House Cusps

(3)♁ (♁)	33	30(22..41)	Seldom ChSq=6.5 (99.0%) r=-0.1147
(5)♁ (♁)	45	31(18..41)	Often ChSq=6.3 (98.9%) r=0.0914
(2)♁ (♁)	20	34(22..48)	Seldom ChSq=5.8 (98.4%) r=-0.1065
(♁)♁ (♁)	17	29(18..40)	Seldom ChSq=5.0 (97.4%) r=-0.0983
(2)♁ (♁)	34	24(13..37)	Often ChSq=4.2 (95.9%) r=0.0736
(6)♁ (♁)	48	36(25..51)	Often ChSq=4.0 (95.5%) r=0.0750
(♁)♁ (♁)	27	39(30..50)	Seldom ChSq=3.7 (94.5%) r=-0.0834
(6)♁ (♁)	45	34(22..45)	Often ChSq=3.6 (94.1%) r=0.0706
(5)♁ (♁)	46	35(26..46)	Often ChSq=3.5 (93.7%) r=0.0698
(6)♁ (♁)	19	29(20..39)	Seldom ChSq=3.4 (93.7%) r=-0.0803

(3)♁ (♁)	33	24(17..38)	Often ChSq=3.4 (93.3%) r=0.0668
(♁)♁ (♁)	40	30(17..39)	Often ChSq=3.3 (93.2%) r=0.0677
(5)♁ (♁)	21	31(20..38)	Seldom ChSq=3.2 (92.7%) r=-0.0774
(2)♁ (♁)	44	34(24..46)	Often ChSq=2.9 (91.4%) r=0.0645
(5)♁ (♁)	24	34(24..44)	Seldom ChSq=2.9 (91.4%) r=-0.0736
(6)♁ (♁)	27	37(27..44)	Seldom ChSq=2.7 (90.0%) r=-0.0704
(♁)♁ (♁)	48	38(28..51)	Often ChSq=2.6 (89.5%) r=0.0618
(2)♁ (♁)	35	27(21..42)	Often ChSq=2.4 (87.6%) r=0.0572
(♁)♁ (♁)	38	30(20..42)	Often ChSq=2.1 (85.6%) r=0.0548
(3)♁ (♁)	39	31(23..44)	Often ChSq=2.1 (84.9%) r=0.0541

(6) ∈ (♄)	25	33(23..45)	Seldom ChSq=1.9 (83.6%) r=-0.0589
(♄) ∈ (♄)	21	28(20..35)	Seldom ChSq=1.8 (81.3%) r=-0.0557
(♄) ∈ (♁)	36	29(23..37)	Often ChSq=1.7 (80.6%) r=0.0490
(3) ∈ (♁)	26	33(23..42)	Seldom ChSq=1.5 (77.7%) r=-0.0511
(2) ∈ (♄)	23	29(23..36)	Seldom ChSq=1.2 (73.5%) r=-0.0464

House Cusp in Elements

(2) ∈ (EARTH ZOD)	68	85(75..109)	Seldom ChSq=3.4 (93.5%) r=-0.0836
(♁) ∈ (AIR ZOD)	97	81(69..93)	Often ChSq=3.2 (92.4%) r=0.0747
(2) ∈ (AIR ZOD)	104	89(76..115)	Often ChSq=2.5 (88.8%) r=0.0682
(3) ∈ (AIR ZOD)	71	85(73..106)	Seldom ChSq=2.3 (87.1%) r=-0.0683
(3) ∈ (WATER ZOD)	103	89(74..113)	Often ChSq=2.2 (86.2%) r=0.0638
(6) ∈ (WATER ZOD)	96	84(64..92)	Often ChSq=1.7 (80.9%) r=0.0558
(6) ∈ (EARTH ZOD)	77	87(71..105)	Seldom ChSq=1.1 (71.6%) r=-0.0480

House Cusp in Cross

(♄) ∈ (♄♁♄♁♄)	140	116(99..126)	Often ChSq=5.0 (97.4%) r=0.1014
(5) ∈ (♄♁♄♁♄)	140	116(99..131)	Often ChSq=5.0 (97.4%) r=0.1014
(3) ∈ (♁♁♁♁♁)	134	116(104..133)	Often ChSq=2.8 (90.6%) r=0.0764
(2) ∈ (♄♁♄♁♄)	132	115(97..131)	Often ChSq=2.5 (88.7%) r=0.0724
(6) ∈ (♁♁♁♁♁)	134	117(100..135)	Often ChSq=2.5 (88.4%) r=0.0721
(5) ∈ (♁♁♁♁♁)	99	113(96..125)	Seldom ChSq=1.7 (81.1%) r=-0.0619
(6) ∈ (♄♁♄♁♄)	104	118(101..134)	Seldom ChSq=1.7 (80.2%) r=-0.0612
(♁) ∈ (♄♁♄♁♄)	127	114(88..129)	Often ChSq=1.5 (77.6%) r=0.0556
(♄) ∈ (♁♁♁♁♁)	105	118(93..133)	Seldom ChSq=1.4 (76.9%) r=-0.0567
(♄) ∈ (♄♁♄♁♄)	102	114(97..129)	Seldom ChSq=1.3 (73.9%) r=-0.0528
(3) ∈ (♄♁♄♁♄)	106	118(95..140)	Seldom ChSq=1.2 (73.1%) r=-0.0523
(2) ∈ (♄♁♄♁♄)	107	119(100..141)	Seldom ChSq=1.2 (72.9%) r=-0.0522

House

(Q) ∈ (I2)	42	28 (20..37)	Often ChSq=7.0 (99.2%) r=0.0947
(σ) ∈ (I2)	43	29 (21..40)	Often ChSq=6.8 (99.1%) r=0.0936
(φ) ∈ (6)	16	30 (22..39)	Seldom ChSq=6.5 (99.0%) r=-0.1147
(ϖ) ∈ (5)	18	30 (23..39)	Seldom ChSq=4.8 (97.1%) r=-0.0964
(σ) ∈ (As)	39	28 (18..37)	Often ChSq=4.3 (96.2%) r=0.0759
(Q) ∈ (6)	17	28 (19..40)	Seldom ChSq=4.3 (96.2%) r=-0.0910
(σ) ∈ (9)	19	30 (19..42)	Seldom ChSq=4.0 (95.6%) r=-0.0875
(ϖ) ∈ (k)	39	29 (22..37)	Often ChSq=3.4 (93.7%) r=0.0685
(F2) ∈ (As)	40	30 (18..42)	Often ChSq=3.3 (93.2%) r=0.0677
(ψ) ∈ (M2)	21	31 (22..37)	Seldom ChSq=3.2 (92.7%) r=-0.0774

(F2) ∈ (5)	18	27 (15..38)	Seldom ChSq=3.0 (91.7%) r=-0.0745
(Q) ∈ (As)	37	28 (22..36)	Often ChSq=2.9 (91.1%) r=0.0629
(D) ∈ (2)	37	28 (22..32)	Often ChSq=2.9 (91.1%) r=0.0629
(ϖ) ∈ (6)	38	29 (17..36)	Often ChSq=2.8 (90.6%) r=0.0621
(D) ∈ (Ds)	38	29 (16..42)	Often ChSq=2.8 (90.6%) r=0.0621
(A) ∈ (11)	40	31 (18..41)	Often ChSq=2.6 (89.4%) r=0.0605
(Q) ∈ (5)	21	29 (18..38)	Seldom ChSq=2.2 (86.3%) r=-0.0630
(D) ∈ (5)	37	29 (18..38)	Often ChSq=2.2 (86.3%) r=0.0556
(D) ∈ (M2)	21	29 (19..39)	Seldom ChSq=2.2 (86.3%) r=-0.0630
(Q) ∈ (11)	37	29 (21..43)	Often ChSq=2.2 (86.3%) r=0.0556

(φ) ∈ (M2)	28	37 (25..53)	Seldom ChSq=2.2 (86.1%) r=-0.0629
(Q) ∈ (M2)	22	30 (23..38)	Seldom ChSq=2.1 (85.6%) r=-0.0619
(ψ) ∈ (8)	40	32 (20..48)	Often ChSq=2.0 (84.3%) r=0.0535
(φ) ∈ (Ds)	44	36 (26..46)	Often ChSq=1.8 (81.7%) r=0.0510
(ψ) ∈ (As)	21	28 (22..38)	Seldom ChSq=1.8 (81.3%) r=-0.0557
(ϖ) ∈ (3)	35	28 (22..39)	Often ChSq=1.8 (81.3%) r=0.0497
(Q) ∈ (k)	35	28 (19..39)	Often ChSq=1.8 (81.3%) r=0.0497
(ϖ) ∈ (8)	21	28 (22..36)	Seldom ChSq=1.8 (81.3%) r=-0.0557
(D) ∈ (9)	21	28 (18..38)	Seldom ChSq=1.8 (81.3%) r=-0.0557
(φ) ∈ (k)	36	29 (19..39)	Often ChSq=1.7 (80.6%) r=0.0490

(♃) ∈ (9)	22	29(17..34)	Seldom ChSq=1.7 (80.6%) r=-0.0547
(♃) ∈ (8)	23	30(18..41)	Seldom ChSq=1.6 (79.8%) r=-0.0537
(♃) ∈ (9)	23	30(25..37)	Seldom ChSq=1.6 (79.8%) r=-0.0537
(♃) ∈ (6)	25	32(26..48)	Seldom ChSq=1.5 (78.4%) r=-0.0520
(♃) ∈ (As)	33	27(18..35)	Often ChSq=1.3 (75.2%) r=0.0435
(♃) ∈ (k)	21	27(19..35)	Seldom ChSq=1.3 (75.2%) r=-0.0482
(♃) ∈ (8)	33	27(18..37)	Often ChSq=1.3 (75.2%) r=0.0435
(♃) ∈ (M)	33	27(20..34)	Often ChSq=1.3 (75.2%) r=0.0435
(♃) ∈ (k)	34	28(20..38)	Often ChSq=1.3 (74.3%) r=0.0429
(♃) ∈ (8)	22	28(22..37)	Seldom ChSq=1.3 (74.3%) r=-0.0473

(♃) ∈ (5)	35	29(23..35)	Often ChSq=1.2 (73.5%) r=0.0423
(♃) ∈ (8)	23	29(19..37)	Seldom ChSq=1.2 (73.5%) r=-0.0464
(♃) ∈ (11)	23	29(16..39)	Seldom ChSq=1.2 (73.5%) r=-0.0464
(♃) ∈ (12)	35	29(17..36)	Often ChSq=1.2 (73.5%) r=0.0423
(♃) ∈ (5)	36	30(25..36)	Often ChSq=1.2 (72.7%) r=0.0417
(♃) ∈ (Ds)	25	31(23..37)	Seldom ChSq=1.2 (71.8%) r=-0.0449
(♃) ∈ (8)	25	31(19..40)	Seldom ChSq=1.2 (71.8%) r=-0.0449

Planets in Elements Houses

(♃) ∈ (26M)	67	85(72..101)	Seldom ChSq=3.8 (94.9%) r=-0.0887
(♃) ∈ (k8 12)	104	89(77..104)	Often ChSq=2.5 (88.8%) r=0.0682
(♃) ∈ (3Ds 11)	73	86(78..99)	Seldom ChSq=2.0 (83.9%) r=-0.0630
(♃) ∈ (As59)	74	87(77..96)	Seldom ChSq=1.9 (83.6%) r=-0.0628
(♃) ∈ (26M)	98	86(74..109)	Often ChSq=1.7 (80.4%) r=0.0554
(♃) ∈ (3Ds 11)	99	87(70..98)	Often ChSq=1.7 (80.1%) r=0.0552
(♃) ∈ (k8 12)	99	87(79..99)	Often ChSq=1.7 (80.1%) r=0.0552
(♃) ∈ (26M)	75	85(66..100)	Seldom ChSq=1.2 (72.2%) r=-0.0484
(♃) ∈ (26M)	75	85(71..99)	Seldom ChSq=1.2 (72.2%) r=-0.0484

Planet in Cross Houses

(♁) ∈ (258 11)	98	119(103..140)	Seldom ChSq=3.7 (94.6%) r=-0.0923
(♁) ∈ (♈♏♌♍)	135	116(101..126)	Often ChSq=3.1 (92.2%) r=0.0806
(♁) ∈ (♈♏♌♍)	132	115(97..128)	Often ChSq=2.5 (88.7%) r=0.0724
(♁) ∈ (258 11)	98	115(104..130)	Seldom ChSq=2.5 (88.7%) r=-0.0751
(♁) ∈ (36912)	128	114(100..139)	Often ChSq=1.7 (81.0%) r=0.0599
(♁) ∈ (♈♏♌♍)	99	112(92..120)	Seldom ChSq=1.5 (78.0%) r=-0.0576
(♁) ∈ (258 11)	128	115(105..124)	Often ChSq=1.5 (77.4%) r=0.0555
(♁) ∈ (36912)	103	116(96..132)	Seldom ChSq=1.5 (77.3%) r=-0.0570
(♁) ∈ (258 11)	130	118(107..136)	Often ChSq=1.2 (73.1%) r=0.0510

Planets Hi or Low in the Charts

(♃) (♈) (♌) MAXORB 30"	42	55(43..68)	Seldom ChSq=3.1 (92.0%) r=-0.0764
(♁) (♈) (♌) MAXORB 30"	68	55(38..75)	Often ChSq=3.1 (92.0%) r=0.0694
(♃) (♈) (♌) MAXORB 30"	43	56(46..72)	Seldom ChSq=3.0 (91.8%) r=-0.0757
(♃) (♈) (♌) MAXORB 30"	66	57(46..67)	Often ChSq=1.4 (76.7%) r=0.0480
(♁) (♈) (♌) MAXORB 30"	46	54(41..65)	Seldom ChSq=1.2 (72.4%) r=-0.0464
(♃) (♈) (♌) MAXORB 30"	64	56(46..68)	Often ChSq=1.1 (71.4%) r=0.0431

House Ruler in Houses

RULE OF 8 IN 6	35	28 (19..39)	Often ChSq=1.8 (81.3%) r=0.0497
RULE OF 6 IN 3	22	29(18..42)	Seldom ChSq=1.7 (80.6%) r=-0.0547
RULE OF 12 IN Ds	22	29(17..35)	Seldom ChSq=1.7 (80.6%) r=-0.0547
RULE OF 3 IN 12	37	30(16..43)	Often ChSq=1.6 (79.8%) r=0.0483
RULE OF 6 IN 6	37	30(19..36)	Often ChSq=1.6 (79.8%) r=0.0483
RULE OF 12 IN As	23	30(23..36)	Seldom ChSq=1.6 (79.8%) r=-0.0537
RULE OF 6 IN 2	24	31(22..46)	Seldom ChSq=1.6 (79.1%) r=-0.0528
RULE OF 11 IN 8	38	31(24..44)	Often ChSq=1.6 (79.1%) r=0.0477
RULE OF 5 IN As	32	26(16..34)	Often ChSq=1.4 (76.1%) r=0.0442
RULE OF 2 IN 2	33	27(21..40)	Often ChSq=1.3 (75.2%) r=0.0435

RULE OF 6 IN 11	33	27(17..34)	Often ChSq=1.3 (75.2%) r=0.0435
RULE OF 8 IN As	34	28(21..38)	Often ChSq=1.3 (74.3%) r=0.0429
RULE OF Ds IN 6	23	29(20..36)	Seldom ChSq=1.2 (73.5%) r=-0.0464
RULE OF Ds IN 5	23	29(20..38)	Seldom ChSq=1.2 (73.5%) r=-0.0464
RULE OF 9 IN 6	23	29(19..40)	Seldom ChSq=1.2 (73.5%) r=-0.0464
RULE OF 2 IN 6	24	30(24..37)	Seldom ChSq=1.2 (72.7%) r=-0.0456
RULE OF 5 IN 3	36	30(21..40)	Often ChSq=1.2 (72.7%) r=0.0417
RULE OF 5 IN Ds	24	30(23..39)	Seldom ChSq=1.2 (72.7%) r=-0.0456
RULE OF 6 IN 8	25	31(21..43)	Seldom ChSq=1.2 (71.8%) r=-0.0449

House ruler in signs

RULE OF 11 IN 8	43	27(16..39)	Often ChSq=9.5 (99.8%) r=0.1083
RULE OF 5 IN 5	17	31(25..40)	Seldom ChSq=6.3 (98.9%) r=-0.1124
RULE OF 12 IN 8	42	29(20..42)	Often ChSq=5.8 (98.4%) r=0.0874
RULE OF As IN 7	20	33(24..46)	Seldom ChSq=5.1 (97.6%) r=-0.0997
RULE OF 11 IN 6	17	29(24..38)	Seldom ChSq=5.0 (97.4%) r=-0.0983
RULE OF 8 IN 6	20	31(22..43)	Seldom ChSq=3.9 (95.2%) r=-0.0859
RULE OF 3 IN 11	21	30(25..39)	Seldom ChSq=2.7 (90.0%) r=-0.0703
RULE OF Ds IN 8	21	30(22..37)	Seldom ChSq=2.7 (90.0%) r=-0.0703
RULE OF 6 IN 5	39	30(23..38)	Often ChSq=2.7 (90.0%) r=0.0613
RULE OF 8 IN 5	22	31(25..41)	Seldom ChSq=2.6 (89.4%) r=-0.0691

RULE OF 8 IN Υ	34	26(17..33)	Often ChSq=2.5 (88.3%) $r=0.0580$
RULE OF D_5 IN Υ	35	27(15..34)	Often ChSq=2.4 (87.6%) $r=0.0572$
RULE OF 3 IN \mathcal{Q}	20	28(21..40)	Seldom ChSq=2.3 (86.9%) $r=-0.0642$
RULE OF 6 IN \mathcal{Z}	20	28(18..40)	Seldom ChSq=2.3 (86.9%) $r=-0.0642$
RULE OF 8 IN Ω	36	28(20..40)	Often ChSq=2.3 (86.9%) $r=0.0563$
RULE OF D_5 IN \mathcal{F}	21	29(20..37)	Seldom ChSq=2.2 (86.3%) $r=-0.0630$
RULE OF 3 IN \mathcal{M}	38	30(19..48)	Often ChSq=2.1 (85.6%) $r=0.0548$
RULE OF D_5 IN \mathcal{M}	38	30(18..42)	Often ChSq=2.1 (85.6%) $r=0.0548$
RULE OF k IN \mathcal{X}	23	31(24..39)	Seldom ChSq=2.1 (84.9%) $r=-0.0609$
RULE OF 9 IN \mathcal{L}	23	31(24..39)	Seldom ChSq=2.1 (84.9%) $r=-0.0609$

RULE OF 12 IN Π	23	31(22..47)	Seldom ChSq=2.1 (84.9%) $r=-0.0609$
RULE OF 2 IN \mathcal{V}	32	25(16..37)	Often ChSq=2.0 (83.8%) $r=0.0520$
RULE OF 11 IN \mathcal{K}	20	27(18..40)	Seldom ChSq=1.8 (82.2%) $r=-0.0568$
RULE OF 5 IN \mathcal{L}	35	28(18..47)	Often ChSq=1.8 (81.3%) $r=0.0497$
RULE OF D_5 IN \mathcal{B}	35	28(19..37)	Often ChSq=1.8 (81.3%) $r=0.0497$
RULE OF 8 IN \mathcal{B}	35	28(19..41)	Often ChSq=1.8 (81.3%) $r=0.0497$
RULE OF M IN \mathcal{Z}	35	28(20..37)	Often ChSq=1.8 (81.3%) $r=0.0497$
RULE OF 12 IN \mathcal{B}	35	28(20..36)	Often ChSq=1.8 (81.3%) $r=0.0497$
RULE OF 6 IN Υ	36	29(18..38)	Often ChSq=1.7 (80.6%) $r=0.0490$
RULE OF A_5 IN \mathcal{L}	23	30(23..37)	Seldom ChSq=1.6 (79.8%) $r=-0.0537$

RULE OF 6 IN \mathcal{Q}	23	30(24..38)	Seldom ChSq=1.6 (79.8%) $r=-0.0537$
RULE OF 9 IN \mathcal{Q}	23	30(22..43)	Seldom ChSq=1.6 (79.8%) $r=-0.0537$
RULE OF 12 IN \mathcal{L}	23	30(17..37)	Seldom ChSq=1.6 (79.8%) $r=-0.0537$
RULE OF A_5 IN \mathcal{K}	33	27(19..37)	Often ChSq=1.3 (75.2%) $r=0.0435$
RULE OF 3 IN Υ	33	27(17..37)	Often ChSq=1.3 (75.2%) $r=0.0435$
RULE OF 12 IN Ω	33	27(17..40)	Often ChSq=1.3 (75.2%) $r=0.0435$
RULE OF A_5 IN \mathcal{Z}	34	28(18..36)	Often ChSq=1.3 (74.3%) $r=0.0429$
RULE OF 6 IN \mathcal{B}	34	28(20..35)	Often ChSq=1.3 (74.3%) $r=0.0429$
RULE OF 9 IN \mathcal{B}	35	29(16..43)	Often ChSq=1.2 (73.5%) $r=0.0423$
RULE OF 9 IN \mathcal{V}	35	29(22..35)	Often ChSq=1.2 (73.5%) $r=0.0423$

RULE OF 11 IN ♃	35	29(21..39)	Often ChSq=1.2 (73.5%) r=0.0423
RULE OF 11 IN ♄	23	29(19..36)	Seldom ChSq=1.2 (73.5%) r=-0.0464
RULE OF 11 IN ♅	35	29(19..38)	Often ChSq=1.2 (73.5%) r=0.0423
RULE OF 9 IN ♆	24	30(20..37)	Seldom ChSq=1.2 (72.7%) r=-0.0456
RULE OF 9 IN ♇	36	30(20..41)	Often ChSq=1.2 (72.7%) r=0.0417
RULE OF 12 IN ♈	24	30(24..37)	Seldom ChSq=1.2 (72.7%) r=-0.0456
RULE OF 11 IN ♉	25	31(19..45)	Seldom ChSq=1.2 (71.8%) r=-0.0449
RULE OF 11 IN ♊	25	31(24..39)	Seldom ChSq=1.2 (71.8%) r=-0.0449
RULE OF 6 IN ♋	26	32(23..40)	Seldom ChSq=1.1 (71.0%) r=-0.0442

House Rulers Retrograded

RULE OF ♃ IS RETROGRADE	45	68(53..77)	Seldom ChSq=7.1 (99.2%) r=-0.1210	✓
RULE OF ♄ IS RETROGRADE	51	62(50..72)	Seldom ChSq=2.0 (83.7%) r=-0.0607	✓
RULE OF ♅ IS RETROGRADE	53	64(47..80)	Seldom ChSq=1.9 (83.0%) r=-0.0599	✓
RULE OF ♆ IS RETROGRADE	62	53(45..67)	Often ChSq=1.5 (78.3%) r=0.0493	✓
RULE OF ♇ IS RETROGRADE	66	57(47..66)	Often ChSq=1.4 (76.7%) r=0.0480	✓
RULE OF ♈ IS RETROGRADE	64	56(42..65)	Often ChSq=1.1 (71.4%) r=0.0431	✓

Borderline Planets in Signs

(♃) ∈ (27°..30°) ALL ZOD	20	33(24..50)	Seldom ChSq=5.1 (97.6%) r=-0.0997
(♄) ∈ (0°..03°) ALL ZOD	24	35(25..44)	Seldom ChSq=3.5 (93.7%) r=-0.0804
(♅) ∈ (27°..30°) ALL ZOD	47	36(23..48)	Often ChSq=3.4 (93.3%) r=0.0691
(♆) ∈ (0°..03°) ALL ZOD	42	35(23..44)	Often ChSq=1.4 (76.4%) r=0.0454
(♇) ∈ (0°..03°) ALL ZOD	28	35(26..47)	Seldom ChSq=1.4 (76.4%) r=-0.0497

Intercepted Planets in the Natal Chart

♁ INTERCEPTED	54	43(27..54)	Often ChSq=2.8 (90.7%) r=0.0646
♃ INTERCEPTED	32	42(32..56)	Seldom ChSq=2.4 (87.7%) r=-0.0660
♄ INTERCEPTED	32	42(31..57)	Seldom ChSq=2.4 (87.7%) r=-0.0660
♅ INTERCEPTED	54	44(37..52)	Often ChSq=2.3 (86.8%) r=0.0585
♆ INTERCEPTED	48	41(33..53)	Often ChSq=1.2 (72.6%) r=0.0427

Retrograded Planets in the Natal Charts

(♁) (♃)	58	67(50..76)	Seldom ChSq=1.2 (72.9%) r=-0.0477
---------	----	------------	-----------------------------------

Planet Phases

2 ♀ PHASE	53	40(31..46)	Often ChSq=4.2 (96.0%) r=0.0778
6 ♃ PHASE	32	44(32..56)	Seldom ChSq=3.3 (92.9%) r=-0.0783
8 ♄ PHASE	47	37(23..52)	Often ChSq=2.7 (90.0%) r=0.0625
6 ♁ PHASE	56	45(35..58)	Often ChSq=2.7 (89.9%) r=0.0636
3 ♀ PHASE	60	49(33..59)	Often ChSq=2.5 (88.4%) r=0.0616
3 ♂ PHASE	71	59(48..72)	Often ChSq=2.4 (88.2%) r=0.0627
2 ♀ PHASE	52	42(32..52)	Often ChSq=2.4 (87.7%) r=0.0595
4 ♁ PHASE	54	44(34..61)	Often ChSq=2.3 (86.8%) r=0.0585
5 ♁ PHASE	35	44(33..58)	Seldom ChSq=1.8 (82.5%) r=-0.0577
3 ♁ PHASE	36	45(35..53)	Seldom ChSq=1.8 (82.0%) r=-0.0571
1 ♃ PHASE	31	38(23..45)	Seldom ChSq=1.3 (74.4%) r=-0.0477

Planetary Phases Aspects

(♁) (*) (♂) PHASE MAXORB 03°	7	3(0..8)	Often ChSq=5.3 (97.9%) r=0.0684
(♃) (♁) (♄) PHASE MAXORB 03°	10	5(3..8)	Often ChSq=5.0 (97.5%) r=0.0701
(♃) (♁) (♁) PHASE MAXORB 03°	10	5(2..9)	Often ChSq=5.0 (97.5%) r=0.0701
(♄) (*) (♃) PHASE MAXORB 03°	6	14(7..22)	Seldom ChSq=4.6 (96.7%) r=-0.0974
(♃) (*) (♀) PHASE MAXORB 03°	4	11(3..19)	Seldom ChSq=4.5 (96.5%) r=-0.0981
(♃) (♁) (♄) PHASE MAXORB 03°	11	6(2..10)	Often ChSq=4.2 (95.9%) r=0.0659
(♃) (♁) (♁) PHASE MAXORB 03°	5	12(5..20)	Seldom ChSq=4.1 (95.7%) r=-0.0923
(♄) (♁) (♀) PHASE MAXORB 03°	8	4(0..8)	Often ChSq=4.0 (95.5%) r=0.0625
(♄) (♁) (♂) PHASE MAXORB 03°	20	13(3..22)	Often ChSq=3.8 (94.8%) r=0.0670
(♁) (♁) (♃) PHASE MAXORB 03°	16	10(2..15)	Often ChSq=3.6 (94.2%) r=0.0644

(♁) (♁) (♀) PHASE MAXORB 03°	2	7(3..14)	Seldom ChSq=3.6 (94.1%) r=-0.0901
(♃) (♁) (♀) PHASE MAXORB 03°	17	11(8..21)	Often ChSq=3.3 (92.9%) r=0.0621
(♃) (♁) (♁) PHASE MAXORB 03°	17	11(5..16)	Often ChSq=3.3 (92.9%) r=0.0621
(♀) (♁) (♃) PHASE MAXORB 03°	9	5(0..10)	Often ChSq=3.2 (92.6%) r=0.0580
(♁) (♁) (♁) PHASE MAXORB 03°	1	5(2..11)	Seldom ChSq=3.2 (92.6%) r=-0.0880
(♄) (♁) (♂) PHASE MAXORB 03°	9	5(1..10)	Often ChSq=3.2 (92.6%) r=0.0580
(♃) (♁) (♁) PHASE MAXORB 03°	6	12(8..21)	Seldom ChSq=3.0 (91.7%) r=-0.0769
(♃) (♁) (♃) PHASE MAXORB 03°	2	6(2..13)	Seldom ChSq=2.7 (89.7%) r=-0.0764

(♃) (♌) (♈) PHASE MAXORB 03°	2	6(2..13)	Seldom ChSq=2.7 (89.7%) r=-0.0764
(♃) (♌) (♉) PHASE MAXORB 03°	10	6(3..10)	Often ChSq=2.7 (89.7%) r=0.0543
(♃) (♌) (♊) PHASE MAXORB 03°	2	6(2..11)	Seldom ChSq=2.7 (89.7%) r=-0.0764
(♃) (♌) (♋) PHASE MAXORB 03°	10	6(1..12)	Often ChSq=2.7 (89.7%) r=0.0543
(♃) (♌) (♌) PHASE MAXORB 03°	15	10(4..15)	Often ChSq=2.5 (88.6%) r=0.0547
(♃) (♌) (♍) PHASE MAXORB 03°	3	7(1..12)	Seldom ChSq=2.3 (86.9%) r=-0.0684
(♃) (♌) (♎) PHASE MAXORB 03°	11	7(2..12)	Often ChSq=2.3 (86.9%) r=0.0513
(♃) (♌) (♏) PHASE MAXORB 03°	6	11(5..18)	Seldom ChSq=2.3 (86.8%) r=-0.0659
(♃) (♌) (♐) PHASE MAXORB 03°	16	11(5..22)	Often ChSq=2.3 (86.8%) r=0.0527
(♃) (♌) (♑) PHASE MAXORB 03°	6	11(5..20)	Seldom ChSq=2.3 (86.8%) r=-0.0659
(♃) (♌) (♒) PHASE MAXORB 03°	7	12(6..18)	Seldom ChSq=2.1 (85.1%) r=-0.0624
(♃) (♌) (♓) PHASE MAXORB 03°	17	12(4..19)	Often ChSq=2.1 (85.1%) r=0.0509
(♃) (♌) (♈) PHASE MAXORB 03°	7	12(6..18)	Seldom ChSq=2.1 (85.1%) r=-0.0624
(♃) (♌) (♉) PHASE MAXORB 03°	7	12(7..19)	Seldom ChSq=2.1 (85.1%) r=-0.0624
(♃) (♌) (♊) PHASE MAXORB 03°	17	12(6..24)	Often ChSq=2.1 (85.1%) r=0.0509

Planet Rising before Sun

☿ FIRST BEFORE ☉	34	24(16..37)	Often ChSq=4.2 (95.9%) r=0.0736
------------------	----	------------	---------------------------------

Planet Rising before the Moon

♁ FIRST BEFORE ♃	15	30(19..38)	Seldom ChSq=7.5 (99.4%) r=-0.1241
♁ FIRST BEFORE ♌	31	22(16..30)	Often ChSq=3.7 (94.5%) r=0.0691
♁ FIRST BEFORE ♍	25	19(13..24)	Often ChSq=1.9 (83.1%) r=0.0502

Planet Making Stations

(♊) (STATIONARY)	47	35(21..47)	Often ChSq=4.1 (95.8%) r=0.0758
(♋) (STATIONARY)	43	34(25..43)	Often ChSq=2.4 (87.8%) r=0.0584
(♌) (STATIONARY)	12	8(2..15)	Often ChSq=2.0 (84.3%) r=0.0487
(♍) (STATIONARY)	2	5(2..10)	Seldom ChSq=1.8 (82.0%) r=-0.0612
(♎) (FAST)	131	144(119..171)	Seldom ChSq=1.2 (72.1%) r=-0.0542

Planet Speed

(♃) (↓)	193	172 (155..197)	Often ChSq=2.6 (89.0%) r=0.0857
(♃) (↓)	151	172 (160..190)	Seldom ChSq=2.6 (89.0%) r=-0.0858
(♃) (↑)	196	175 (157..187)	Often ChSq=2.5 (88.7%) r=0.0858
(♃) (↑)	154	174 (150..192)	Seldom ChSq=2.3 (87.0%) r=-0.0816
(♂) (↓)	188	171 (158..182)	Often ChSq=1.7 (80.6%) r=0.0693
(♂) (↑)	159	176 (165..189)	Seldom ChSq=1.6 (79.9%) r=-0.0693

Planet Occultations

(♁) (♃) (♁) SPHERIC MAXORB 02°	5	2 (0..6)	Often ChSq=4.5 (96.6%) r=0.0612
(♁) (♃) (♁) SPHERIC MAXORB 02°	6	3 (1..6)	Often ChSq=3.0 (91.7%) r=0.0540

Planet in Receptions

♁ ZOD RECEPTION ♃	16	8 (4..14)	Often ChSq=8.0 (99.5%) r=0.0892
♁ ZOD RECEPTION ♂	7	3 (1..7)	Often ChSq=5.3 (97.9%) r=0.0684
♃ ZOD RECEPTION ♃	3	7 (1..14)	Seldom ChSq=2.3 (86.9%) r=-0.0684