

Initial Gators' Research On Astrologers

by The Astro Investigators

Published on the web May 31, 2007 at The Astro Investigators' Web Site.

Copyright © 2007 Astro Investigators.
World rights reserved.

For this research we have used timed natal charts of 320 astrologers born between 1602 and 1968 and known for their literary contributions to astrology or who are full-time practicing astrologers.

We used Air Software's Astro Investigator Research Software and analyzed placements of and aspects to the following points: Sun, Moon, Mercury, Venus, Mars, Jupiter, Saturn, Uranus, Neptune, Pluto, Chiron, Ceres, Pallas, Juno, Vesta, Ascendant, Mid Heaven, mean North Node, Vertex, East Point and Part of Fortune. We used the Placidus house system and modern rulerships. For major aspects we used a six degree orb, and for minor aspects we used a two degree orb.

Chi Squares are calculated using twenty randomly generated control groups.

[Planets and Points in Zodiac](#)

[Planets and Points in Zodiac Elements](#)

[Planets and Points in Zodiac Qualities](#)

[Planets and Points in Zodiac Quadrants](#)

[Natal Aspects \(Major\)](#)

[Natal Aspects \(Minor\)](#)

[Sign on House Cusps](#)

[House Cusp in Zodiac Elements](#)

[House Cusp in Zodiac Qualities](#)

[Planets in Houses](#)

[Planets in Elements Houses](#)

[Planets in Cross Houses](#)

[Planets in Quadrants Houses](#)

[Planet High or Low in the Chart](#)

[Intercepted Planets](#)

[Reception between Planets](#)

[Reception between Houses](#)

[Planetary Phases](#)

[Phase Aspects](#)

[House Ruler in Signs](#)

[House Ruler in Houses](#)

Planets and Points in Zodiac

(♃)∈(♍)	42	29(19..40)	Often ChSq=5.8 (98.4%) r=0.0915
(♃)∈(♌)	33	22(15..32)	Often ChSq=5.5 (98.1%) r=0.0867
(♃)∈(♎)	15	26(19..39)	Seldom ChSq=4.7 (96.9%) r=-0.0993
(♃)∈(♍)	40	29(21..36)	Often ChSq=4.2 (95.9%) r=0.0784
(♃)∈(♏)	23	34(24..54)	Seldom ChSq=3.6 (94.1%) r=-0.0853
(♃)∈(♉)	17	26(13..32)	Seldom ChSq=3.1 (92.2%) r=-0.0794
(♃)∈(♊)	35	26(19..37)	Often ChSq=3.1 (92.2%) r=0.0677
(♃)∈(♈)	18	27(16..35)	Seldom ChSq=3.0 (91.7%) r=-0.0778
(♃)∈(♋)	15	23(16..31)	Seldom ChSq=2.8 (90.5%) r=-0.0748
(♃)∈(♌)	32	24(17..34)	Often ChSq=2.7 (89.7%) r=0.0626
(♃)∈(♍)	41	32(19..43)	Often ChSq=2.5 (88.8%) r=0.0626
(♃)∈(♎)	34	26(20..35)	Often ChSq=2.5 (88.3%) r=0.0606
(♃)∈(♏)	36	28(15..40)	Often ChSq=2.3 (86.9%) r=0.0589
(♃)∈(♐)	30	23(17..30)	Often ChSq=2.1 (85.5%) r=0.0561
(♃)∈(♑)	23	31(20..44)	Seldom ChSq=2.1 (84.9%) r=-0.0636

Planets and Points in Zodiac Elements

(♁)∈(AIR SIGNS)	63	81(71..102)	Seldom ChSq=4.0 (95.5%) r=-0.0953
(♁)∈(EARTH SIGNS)	90	75(54..89)	Often ChSq=3.0 (91.7%) r=0.0758
(♁)∈(WATER SIGNS)	66	80(64..91)	Seldom ChSq=2.5 (88.3%) r=-0.0737
(♁)∈(AIR SIGNS)	98	84(66..104)	Often ChSq=2.3 (87.3%) r=0.0686
(♁)∈(WATER SIGNS)	92	79(71..92)	Often ChSq=2.1 (85.6%) r=0.0649

Planets and Points in Zodiac Qualities

(♁) ∈ (FIXED SIGNS)	127	106(89..121)	Often ChSq=4.2 (95.9%) r=0.0964
(♈) ∈ (CARDINAL SIGNS)	89	107(92..133)	Seldom ChSq=3.0 (91.8%) r=-0.0863
(♉) ∈ (FIXED SIGNS)	128	110(99..133)	Often ChSq=2.9 (91.4%) r=0.0823
(♊) ∈ (FIXED SIGNS)	122	105(84..124)	Often ChSq=2.8 (90.3%) r=0.0785
(♋) ∈ (II ♏ ⅳ ♎)	89	105(93..117)	Seldom ChSq=2.4 (88.2%) r=-0.0769

Planets and Points in Zodiac Quadrants

(♁) ∈ (♈♉♊)	85	71(52..81)	Often ChSq=2.8 (90.3%) r=0.0721
(♁) ∈ (♌♍♎)	65	79(62..105)	Seldom ChSq=2.5 (88.5%) r=-0.0741
(♁) ∈ (♏♐♑)	65	78(65..98)	Seldom ChSq=2.2 (85.9%) r=-0.0690

Natal Aspects (Major)

(♃) (♄) (♅) MAXORB 06°	34	18(11..22)	Often ChSq=14.2 (100.0%) r=0.1294
(♄) (♅) (♆) MAXORB 06°	20	9(6..12)	Often ChSq=13.4 (100.0%) r=0.1169
(♃) (♄) (♅) MAXORB 06°	27	15(10..22)	Often ChSq=9.6 (99.8%) r=0.1071
(♄) (♅) (♆) MAXORB 06°	25	14(9..24)	Often ChSq=8.6 (99.7%) r=0.1016
(♅) (♆) (♇) MAXORB 06°	29	17(10..24)	Often ChSq=8.5 (99.6%) r=0.1027
(♃) (♄) (♅) MAXORB 06°	26	15(8..22)	Often ChSq=8.1 (99.5%) r=0.0993
(♄) (♅) (♆) MAXORB 06°	34	21(12..27)	Often ChSq=8.0 (99.5%) r=0.1025
(♅) (♆) (♇) MAXORB 06°	16	8(3..13)	Often ChSq=8.0 (99.5%) r=0.0930
(♆) (♇) (♈) MAXORB 06°	20	11(4..21)	Often ChSq=7.4 (99.3%) r=0.0926
(♅) (♆) (♇) MAXORB 06°	24	14(7..20)	Often ChSq=7.1 (99.2%) r=0.0935
(♄) (♅) (♆) MAXORB 06°	24	14(4..19)	Often ChSq=7.1 (99.2%) r=0.0935
(♅) (♆) (♇) MAXORB 06°	17	9(4..12)	Often ChSq=7.1 (99.2%) r=0.0895
(♄) (♅) (♆) MAXORB 06°	0	7(3..13)	Seldom ChSq=7.0 (99.2%) r=-0.1487
(♅) (♆) (♇) MAXORB 06°	25	15(8..23)	Often ChSq=6.7 (99.1%) r=0.0913
(♆) (♇) (♈) MAXORB 06°	25	15(9..20)	Often ChSq=6.7 (99.1%) r=0.0913
(♄) (♅) (♆) MAXORB 06°	30	19(11..26)	Often ChSq=6.4 (98.9%) r=0.0914
(♄) (♅) (♆) MAXORB 06°	6	16(8..33)	Seldom ChSq=6.3 (98.8%) r=-0.1213
(♆) (♇) (♈) MAXORB 06°	26	16(10..28)	Often ChSq=6.3 (98.8%) r=0.0892
(♄) (♅) (♆) MAXORB 06°	1	8(2..14)	Seldom ChSq=6.1 (98.7%) r=-0.1314
(♅) (♆) (♇) MAXORB 06°	9	20(16..31)	Seldom ChSq=6.0 (98.6%) r=-0.1169
(♆) (♇) (♈) MAXORB 06°	12	6(2..16)	Often ChSq=6.0 (98.6%) r=0.0802

(ϕ) (⋆) (Ω) MAXORB 06"	36	24(16..33)	Often ChSq=6.0 (98.6%) r=0.0910
(σ) (⋆) (⊗) MAXORB 06"	7	17(10..25)	Seldom ChSq=5.9 (98.5%) r=-0.1163
(ϕ) (σ) (As) MAXORB 06"	2	9(3..14)	Seldom ChSq=5.4 (98.0%) r=-0.1190
(Ω) (⋆) (Ep) MAXORB 06"	25	16(10..23)	Often ChSq=5.1 (97.6%) r=0.0812
(ϕ) (⋆) (♀) MAXORB 06"	35	24(17..31)	Often ChSq=5.0 (97.5%) r=0.0840
(ϕ) (Δ) (≥) MAXORB 06"	13	24(12..32)	Seldom ChSq=5.0 (97.5%) r=-0.1041
(ϕ) (□) (ϕ) MAXORB 06"	30	20(11..29)	Often ChSq=5.0 (97.5%) r=0.0823
(ψ) (σ) (♀) MAXORB 06"	5	13(6..18)	Seldom ChSq=4.9 (97.4%) r=-0.1069
(h) (σ) (Ω) MAXORB 06"	3	10(4..17)	Seldom ChSq=4.9 (97.3%) r=-0.1096
(h) (σ) (Ω) MAXORB 06"	17	10(5..16)	Often ChSq=4.9 (97.3%) r=0.0769
(ϕ) (σ) (⋆) MAXORB 06"	3	10(4..17)	Seldom ChSq=4.9 (97.3%) r=-0.1096
(δ) (□) (⋆) MAXORB 06"	14	25(18..34)	Seldom ChSq=4.8 (97.2%) r=-0.1016
(Ω) (□) (ϕ) MAXORB 06"	31	21(15..28)	Often ChSq=4.8 (97.1%) r=0.0809
(h) (Δ) (ϕ) MAXORB 06"	31	21(15..29)	Often ChSq=4.8 (97.1%) r=0.0809
(D) (Δ) (σ) MAXORB 06"	32	22(16..27)	Often ChSq=4.5 (96.7%) r=0.0795
(h) (σ) (As) MAXORB 06"	14	8(4..14)	Often ChSq=4.5 (96.6%) r=0.0728
(ϕ) (⋆) (As) MAXORB 06"	9	18(8..26)	Seldom ChSq=4.5 (96.6%) r=-0.0989
(≥) (σ) (M) MAXORB 06"	14	8(3..12)	Often ChSq=4.5 (96.6%) r=0.0728
(σ) (⋆) (h) MAXORB 06"	38	27(18..35)	Often ChSq=4.5 (96.6%) r=0.0805
(D) (σ) (h) MAXORB 06"	4	11(3..20)	Seldom ChSq=4.5 (96.5%) r=-0.1022
(D) (σ) (♀) MAXORB 06"	18	11(5..18)	Often ChSq=4.5 (96.5%) r=0.0744

(Ω) (σ) (≥) MAXORB 06"	4	11(5..22)	Seldom ChSq=4.5 (96.5%) r=-0.1022
(○) (□) (Ep) MAXORB 06"	23	15(6..24)	Often ChSq=4.3 (96.1%) r=0.0748
(ϕ) (⋆) (As) MAXORB 06"	23	15(9..24)	Often ChSq=4.3 (96.1%) r=0.0748
(ϕ) (⋆) (M) MAXORB 06"	7	15(7..21)	Seldom ChSq=4.3 (96.1%) r=-0.0970
(δ) (⋆) (Ω) MAXORB 06"	23	15(8..26)	Often ChSq=4.3 (96.1%) r=0.0748
(≥) (□) (As) MAXORB 06"	23	15(9..19)	Often ChSq=4.3 (96.1%) r=0.0748
(≥) (⋆) (M) MAXORB 06"	23	15(10..22)	Often ChSq=4.3 (96.1%) r=0.0748
(Ω) (⋆) (⊗) MAXORB 06"	14	24(16..36)	Seldom ChSq=4.2 (95.9%) r=-0.0935
(D) (□) (↓) MAXORB 06"	29	20(13..27)	Often ChSq=4.0 (95.6%) r=0.0748
(D) (⋆) (Vx) MAXORB 06"	24	16(11..24)	Often ChSq=4.0 (95.5%) r=0.0730
(D) (□) (≥) MAXORB 06"	30	21(13..30)	Often ChSq=3.9 (95.0%) r=0.0734
(h) (Δ) (h) MAXORB 06"	12	21(15..29)	Seldom ChSq=3.9 (95.0%) r=-0.0899
(h) (□) (ψ) MAXORB 06"	12	21(12..28)	Seldom ChSq=3.9 (95.0%) r=-0.0899
(δ) (⋆) (↓) MAXORB 06"	12	21(12..35)	Seldom ChSq=3.9 (95.0%) r=-0.0899
(⊗) (Δ) (Ep) MAXORB 06"	12	21(14..30)	Seldom ChSq=3.9 (95.0%) r=-0.0899
(h) (Δ) (♀) MAXORB 06"	9	17(8..26)	Seldom ChSq=3.8 (94.7%) r=-0.0895
(δ) (Δ) (Ep) MAXORB 06"	9	17(7..26)	Seldom ChSq=3.8 (94.7%) r=-0.0895
(≥) (Δ) (As) MAXORB 06"	9	17(11..26)	Seldom ChSq=3.8 (94.7%) r=-0.0895
(ψ) (Δ) (Ω) MAXORB 06"	31	22(13..32)	Often ChSq=3.7 (94.5%) r=0.0722
(D) (σ) (ϕ) MAXORB 06"	16	10(3..15)	Often ChSq=3.6 (94.2%) r=0.0672
(σ) (σ) (As) MAXORB 06"	16	10(4..15)	Often ChSq=3.6 (94.2%) r=0.0672

(*) (j) (Vx) MAXORB 06"	4	10(5..15)	Seldom ChSq=3.6 (94.2%) r=-0.0906
(q) (p) (M) MAXORB 06"	4	10(3..21)	Seldom ChSq=3.6 (94.2%) r=-0.0906
(d) (j) (As) MAXORB 06"	12	7(3..10)	Often ChSq=3.6 (94.1%) r=0.0651
(*) (p) (e) MAXORB 06"	12	7(2..14)	Often ChSq=3.6 (94.1%) r=0.0651
(q) (j) (e) MAXORB 06"	12	7(3..13)	Often ChSq=3.6 (94.1%) r=0.0651
(o) (j) (o) MAXORB 06"	26	18(12..24)	Often ChSq=3.6 (94.1%) r=0.0699
(o) (*) (*) MAXORB 06"	32	23(10..34)	Often ChSq=3.5 (94.0%) r=0.0710
(o) (*) (h) MAXORB 06"	15	24(16..35)	Seldom ChSq=3.4 (93.3%) r=-0.0831
(q) (o) (*) MAXORB 06"	15	24(14..33)	Seldom ChSq=3.4 (93.3%) r=-0.0831
(o) (*) (*) MAXORB 06"	15	24(17..32)	Seldom ChSq=3.4 (93.3%) r=-0.0831
(o) (j) (q) MAXORB 06"	17	11(4..19)	Often ChSq=3.3 (92.9%) r=0.0648
(o) (j) (q) MAXORB 06"	17	11(4..18)	Often ChSq=3.3 (92.9%) r=0.0648
(o) (*) (Ep) MAXORB 06"	22	15(10..19)	Often ChSq=3.3 (92.9%) r=0.0663
(o) (A) (z) MAXORB 06"	8	15(9..20)	Seldom ChSq=3.3 (92.9%) r=-0.0831
(A) (o) (Ep) MAXORB 06"	8	15(11..19)	Seldom ChSq=3.3 (92.9%) r=-0.0831
(*) (o) (M) MAXORB 06"	22	15(10..22)	Often ChSq=3.3 (92.9%) r=0.0663
(q) (o) (M) MAXORB 06"	22	15(9..22)	Often ChSq=3.3 (92.9%) r=0.0663
(o) (j) (q) MAXORB 06"	65	52(40..69)	Often ChSq=3.3 (92.8%) r=0.0743
(D) (A) (q) MAXORB 06"	28	20(11..25)	Often ChSq=3.2 (92.6%) r=0.0671
(D) (o) (*) MAXORB 06"	28	20(12..32)	Often ChSq=3.2 (92.6%) r=0.0671
(o) (o) (h) MAXORB 06"	12	20(12..28)	Seldom ChSq=3.2 (92.6%) r=-0.0811

(A) (A) (d) MAXORB 06"	12	20(16..28)	Seldom ChSq=3.2 (92.6%) r=-0.0811
(u) (p) (Vx) MAXORB 06"	1	5(1..8)	Seldom ChSq=3.2 (92.6%) r=-0.0917
(q) (j) (q) MAXORB 06"	3	8(4..13)	Seldom ChSq=3.1 (92.3%) r=-0.0850
(o) (*) (Vx) MAXORB 06"	9	16(7..24)	Seldom ChSq=3.1 (92.0%) r=-0.0798
(*) (o) (Vx) MAXORB 06"	23	16(10..25)	Often ChSq=3.1 (92.0%) r=0.0647
(z) (A) (Vx) MAXORB 06"	23	16(11..23)	Often ChSq=3.1 (92.0%) r=0.0647
(*) (A) (Ep) MAXORB 06"	23	16(11..24)	Often ChSq=3.1 (92.0%) r=0.0647
(o) (*) (e) MAXORB 06"	23	16(11..24)	Often ChSq=3.1 (92.0%) r=0.0647
(o) (o) (u) MAXORB 06"	29	21(12..28)	Often ChSq=3.0 (91.9%) r=0.0659
(o) (A) (u) MAXORB 06"	13	21(12..29)	Seldom ChSq=3.0 (91.9%) r=-0.0788
(o) (o) (q) MAXORB 06"	30	22(11..29)	Often ChSq=2.9 (91.2%) r=0.0647
(o) (o) (q) MAXORB 06"	30	22(10..28)	Often ChSq=2.9 (91.2%) r=0.0647
(o) (A) (*) MAXORB 06"	14	22(15..29)	Seldom ChSq=2.9 (91.2%) r=-0.0767
(z) (A) (q) MAXORB 06"	14	22(16..28)	Seldom ChSq=2.9 (91.2%) r=-0.0767
(q) (*) (e) MAXORB 06"	10	17(11..27)	Seldom ChSq=2.9 (91.1%) r=-0.0769
(o) (*) (*) MAXORB 06"	31	23(15..32)	Often ChSq=2.8 (90.5%) r=0.0636
(o) (p) (h) MAXORB 06"	14	9(1..17)	Often ChSq=2.8 (90.5%) r=0.0594
(o) (p) (z) MAXORB 06"	14	9(2..18)	Often ChSq=2.8 (90.5%) r=0.0594
(q) (j) (Vx) MAXORB 06"	4	9(3..14)	Seldom ChSq=2.8 (90.5%) r=-0.0783
(u) (o) (q) MAXORB 06"	25	18(9..22)	Often ChSq=2.7 (90.1%) r=0.0618
(z) (*) (o) MAXORB 06"	25	18(9..33)	Often ChSq=2.7 (90.1%) r=0.0618

(◊) (□) (✖) MAXORB 06"	16	24(18..32)	Seldom ChSq=2.7 (89.7%) r=-0.0730
(♀) (♂) (↓) MAXORB 06"	20	14(6..23)	Often ChSq=2.6 (89.1%) r=0.0591
(○) (✖) (♀) MAXORB 06"	33	25(20..31)	Often ChSq=2.6 (89.0%) r=0.0616
(✖) (✖) (♀) MAXORB 06"	23	32(26..39)	Seldom ChSq=2.5 (88.8%) r=-0.0710
(♀) (♂) (♣) MAXORB 06"	5	10(3..16)	Seldom ChSq=2.5 (88.6%) r=-0.0730
(♀) (□) (♀) MAXORB 06"	27	20(10..28)	Often ChSq=2.5 (88.3%) r=0.0593
(○) (Δ) (♠) MAXORB 06"	13	20(12..28)	Seldom ChSq=2.5 (88.3%) r=-0.0699
(♠) (✖) (✖) MAXORB 06"	13	20(14..29)	Seldom ChSq=2.5 (88.3%) r=-0.0699
(♠) (Δ) (✖) MAXORB 06"	27	20(12..26)	Often ChSq=2.5 (88.3%) r=0.0593
(⊗) (Δ) (♠) MAXORB 06"	13	20(12..28)	Seldom ChSq=2.5 (88.3%) r=-0.0699
(♠) (✖) (♀) MAXORB 06"	21	15(6..27)	Often ChSq=2.4 (87.9%) r=0.0575
(♠) (Δ) (♣) MAXORB 06"	21	15(9..21)	Often ChSq=2.4 (87.9%) r=0.0575
(♠) (Δ) (⊗) MAXORB 06"	21	15(9..21)	Often ChSq=2.4 (87.9%) r=0.0575
(♀) (✖) (↓) MAXORB 06"	28	21(12..32)	Often ChSq=2.3 (87.3%) r=0.0582
(○) (♂) (♣) MAXORB 06"	11	7(3..15)	Often ChSq=2.3 (86.9%) r=0.0535
(♀) (♂) (♀) MAXORB 06"	3	7(3..11)	Seldom ChSq=2.3 (86.9%) r=-0.0713
(♀) (♂) (⊗) MAXORB 06"	11	7(1..13)	Often ChSq=2.3 (86.9%) r=0.0535
(♂) (♂) (♠) MAXORB 06"	11	7(4..14)	Often ChSq=2.3 (86.9%) r=0.0535
(♠) (♂) (♠) MAXORB 06"	3	7(3..12)	Seldom ChSq=2.3 (86.9%) r=-0.0713
(♠) (♂) (♀) MAXORB 06"	16	11(5..17)	Often ChSq=2.3 (86.8%) r=0.0550
(♀) (♂) (✖) MAXORB 06"	6	11(3..18)	Seldom ChSq=2.3 (86.8%) r=-0.0687

(○) (✖) (♠) MAXORB 06"	10	16(10..20)	Seldom ChSq=2.3 (86.6%) r=-0.0672
(♀) (Δ) (♠) MAXORB 06"	10	16(8..26)	Seldom ChSq=2.3 (86.6%) r=-0.0672
(○) (Δ) (♠) MAXORB 06"	22	16(8..24)	Often ChSq=2.3 (86.6%) r=0.0561
(♀) (♂) (♀) MAXORB 06"	22	16(8..22)	Often ChSq=2.3 (86.6%) r=0.0561
(♀) (✖) (♠) MAXORB 06"	22	16(11..25)	Often ChSq=2.3 (86.6%) r=0.0561
(✖) (□) (♣) MAXORB 06"	10	16(10..23)	Seldom ChSq=2.3 (86.6%) r=-0.0672
(✖) (□) (♠) MAXORB 06"	22	16(8..26)	Often ChSq=2.3 (86.6%) r=0.0561
(↓) (□) (♠) MAXORB 06"	10	16(9..29)	Seldom ChSq=2.3 (86.6%) r=-0.0672
(↓) (Δ) (♠) MAXORB 06"	10	16(9..25)	Seldom ChSq=2.3 (86.6%) r=-0.0672
(♣) (□) (⊗) MAXORB 06"	22	16(9..25)	Often ChSq=2.3 (86.6%) r=0.0561
(○) (□) (♠) MAXORB 06"	15	22(16..30)	Seldom ChSq=2.2 (86.4%) r=-0.0663
(♂) (✖) (♣) MAXORB 06"	29	22(11..30)	Often ChSq=2.2 (86.4%) r=0.0571
(♀) (□) (↓) MAXORB 06"	29	22(17..29)	Often ChSq=2.2 (86.4%) r=0.0571
(○) (✖) (↓) MAXORB 06"	37	29(21..42)	Often ChSq=2.2 (86.3%) r=0.0581
(♠) (Δ) (↓) MAXORB 06"	46	37(30..44)	Often ChSq=2.2 (86.1%) r=0.0592
(♀) (✖) (↓) MAXORB 06"	16	23(18..32)	Seldom ChSq=2.1 (85.5%) r=-0.0647
(○) (Δ) (♠) MAXORB 06"	23	17(11..25)	Often ChSq=2.1 (85.4%) r=0.0548
(♂) (□) (♣) MAXORB 06"	11	17(11..22)	Seldom ChSq=2.1 (85.4%) r=-0.0648
(♠) (✖) (♠) MAXORB 06"	23	17(9..26)	Often ChSq=2.1 (85.4%) r=0.0548
(✖) (□) (↓) MAXORB 06"	11	17(7..24)	Seldom ChSq=2.1 (85.4%) r=-0.0648
(✖) (✖) (○) MAXORB 06"	11	17(10..25)	Seldom ChSq=2.1 (85.4%) r=-0.0648

Natal Aspects (Minor)

(f₂) (κ) (ε) MAXORB 02°	14	5(0..10)	Often ChSq=16.2 (100.0%) r=0.1172
(D) (κ) (θ) MAXORB 02°	12	4(1..8)	Often ChSq=16.0 (100.0%) r=0.1132
(φ) (κ) (ξ) MAXORB 02°	11	4(1..11)	Often ChSq=12.3 (100.0%) r=0.1022
(φ) (μ) (φ) MAXORB 02°	12	5(2..9)	Often ChSq=9.8 (99.8%) r=0.0962
(λ) (ν) (ψ) MAXORB 02°	10	4(0..9)	Often ChSq=9.0 (99.7%) r=0.0906
(σ) (μ) (ν) MAXORB 02°	11	5(2..9)	Often ChSq=7.2 (99.3%) r=0.0849
(λ) (λ) (ε) MAXORB 02°	11	5(2..8)	Often ChSq=7.2 (99.3%) r=0.0849
(ψ) (λ) (ν) MAXORB 02°	11	5(1..10)	Often ChSq=7.2 (99.3%) r=0.0849
(δ) (κ) (As) MAXORB 02°	11	5(2..9)	Often ChSq=7.2 (99.3%) r=0.0849
(ξ) (κ) (ν) MAXORB 02°	11	5(2..9)	Often ChSq=7.2 (99.3%) r=0.0849
(θ) (λ) (φ) MAXORB 02°	14	7(3..11)	Often ChSq=7.0 (99.2%) r=0.0868
(φ) (λ) (δ) MAXORB 02°	14	7(2..14)	Often ChSq=7.0 (99.2%) r=0.0868
(ε) (ν) (δ) MAXORB 02°	14	7(3..16)	Often ChSq=7.0 (99.2%) r=0.0868
(φ) (λ) (ε) MAXORB 02°	9	4(1..7)	Often ChSq=6.3 (98.8%) r=0.0783
(σ) (λ) (κ) MAXORB 02°	9	4(0..8)	Often ChSq=6.3 (98.8%) r=0.0783
(f₂) (κ) (ν) MAXORB 02°	9	4(0..8)	Often ChSq=6.3 (98.8%) r=0.0783
(φ) (ν) (θ) MAXORB 02°	9	4(1..8)	Often ChSq=6.3 (98.8%) r=0.0783
(δ) (λ) (ν) MAXORB 02°	9	4(1..9)	Often ChSq=6.3 (98.8%) r=0.0783
(As) (λ) (φ) MAXORB 02°	9	4(1..9)	Often ChSq=6.3 (98.8%) r=0.0783
(φ) (μ) (λ) MAXORB 02°	1	8(3..13)	Seldom ChSq=6.1 (98.7%) r=-0.1314
(f₂) (κ) (ψ) MAXORB 02°	15	8(3..18)	Often ChSq=6.1 (98.7%) r=0.0831

(ξ) (κ) (φ) MAXORB 02°	15	8(3..14)	Often ChSq=6.1 (98.7%) r=0.0831
(θ) (λ) (f₂) MAXORB 02°	16	9(3..14)	Often ChSq=5.4 (98.0%) r=0.0798
(λ) (λ) (ψ) MAXORB 02°	16	9(4..18)	Often ChSq=5.4 (98.0%) r=0.0798
(f₂) (μ) (δ) MAXORB 02°	20	12(7..19)	Often ChSq=5.3 (97.9%) r=0.0811
(θ) (μ) (φ) MAXORB 02°	13	7(1..10)	Often ChSq=5.1 (97.7%) r=0.0762
(D) (λ) (f₂) MAXORB 02°	13	7(3..10)	Often ChSq=5.1 (97.7%) r=0.0762
(φ) (λ) (f₂) MAXORB 02°	13	7(3..12)	Often ChSq=5.1 (97.7%) r=0.0762
(φ) (ν) (φ) MAXORB 02°	1	7(3..15)	Seldom ChSq=5.1 (97.7%) r=-0.1193
(σ) (ν) (δ) MAXORB 02°	1	7(2..11)	Seldom ChSq=5.1 (97.7%) r=-0.1193
(θ) (κ) (As) MAXORB 02°	10	5(1..11)	Often ChSq=5.0 (97.5%) r=0.0730
(θ) (ν) (ν) MAXORB 02°	0	5(1..7)	Seldom ChSq=5.0 (97.5%) r=-0.1255
(φ) (μ) (ν) MAXORB 02°	10	5(1..14)	Often ChSq=5.0 (97.5%) r=0.0730
(f₂) (ν) (θ) MAXORB 02°	10	5(2..13)	Often ChSq=5.0 (97.5%) r=0.0730
(f₂) (ν) (ε) MAXORB 02°	10	5(2..10)	Often ChSq=5.0 (97.5%) r=0.0730
(φ) (ν) (ν) MAXORB 02°	10	5(1..9)	Often ChSq=5.0 (97.5%) r=0.0730
(ε) (μ) (As) MAXORB 02°	10	5(2..10)	Often ChSq=5.0 (97.5%) r=0.0730
(ε) (ν) (κ) MAXORB 02°	10	5(1..10)	Often ChSq=5.0 (97.5%) r=0.0730
(ε) (ν) (ε) MAXORB 02°	10	5(2..10)	Often ChSq=5.0 (97.5%) r=0.0730
(ε) (κ) (ε) MAXORB 02°	10	5(1..8)	Often ChSq=5.0 (97.5%) r=0.0730
(φ) (μ) (ν) MAXORB 02°	10	5(0..11)	Often ChSq=5.0 (97.5%) r=0.0730
(φ) (λ) (φ) MAXORB 02°	3	10(7..14)	Seldom ChSq=4.9 (97.3%) r=-0.1096

(Ψ) (□) (♀) MAXORB 02°	17	10(5..14)	Often ChSq=4.9 (97.3%) r=0.0769
(Ⓓ) (⌘) (♀) MAXORB 02°	2	8(3..16)	Seldom ChSq=4.5 (96.6%) r=-0.1069
(♁) (♃) (♁) MAXORB 02°	14	8(4..11)	Often ChSq=4.5 (96.6%) r=0.0728
(♁) (♃) (♁) MAXORB 02°	14	8(3..11)	Often ChSq=4.5 (96.6%) r=0.0728
(♀) (⌘) (♁) MAXORB 02°	2	8(4..14)	Seldom ChSq=4.5 (96.6%) r=-0.1069
(♁) (⌘) (♁) MAXORB 02°	11	6(2..11)	Often ChSq=4.2 (95.9%) r=0.0687
(Ⓓ) (♁) (♁) MAXORB 02°	11	6(2..11)	Often ChSq=4.2 (95.9%) r=0.0687
(♁) (♁) (♁) MAXORB 02°	11	6(2..12)	Often ChSq=4.2 (95.9%) r=0.0687
(♁) (⌘) (♁) MAXORB 02°	1	6(2..12)	Seldom ChSq=4.2 (95.9%) r=-0.1062
(♁) (⌘) (♁) MAXORB 02°	1	6(2..13)	Seldom ChSq=4.2 (95.9%) r=-0.1062
(♁) (♃) (♁) MAXORB 02°	11	6(2..10)	Often ChSq=4.2 (95.9%) r=0.0687
(♁) (♁) (♁) MAXORB 02°	11	6(3..13)	Often ChSq=4.2 (95.9%) r=0.0687
(♁) (♁) (♁) MAXORB 02°	1	6(2..10)	Seldom ChSq=4.2 (95.9%) r=-0.1062
(♀) (♁) (♁) MAXORB 02°	8	4(2..7)	Often ChSq=4.0 (95.5%) r=0.0652
(♁) (⌘) (♁) MAXORB 02°	0	4(1..9)	No influence ChSq=4.0 (95.5%) r=-0.1122
(♁) (♁) (♁) MAXORB 02°	8	4(1..10)	Often ChSq=4.0 (95.5%) r=0.0652
(♀) (♃) (♁) MAXORB 02°	3	9(3..15)	Seldom ChSq=4.0 (95.5%) r=-0.0977
(♀) (♃) (♁) MAXORB 02°	8	4(2..8)	Often ChSq=4.0 (95.5%) r=0.0652
(♀) (♃) (♀) MAXORB 02°	8	4(1..10)	Often ChSq=4.0 (95.5%) r=0.0652
(♁) (♃) (♁) MAXORB 02°	0	4(1..7)	No influence ChSq=4.0 (95.5%) r=-0.1122
(♀) (⌘) (♁) MAXORB 02°	8	4(1..8)	Often ChSq=4.0 (95.5%) r=0.0652

(♁) (⌘) (♁) MAXORB 02°	8	4(0..9)	Often ChSq=4.0 (95.5%) r=0.0652
(♁) (♁) (♁) MAXORB 02°	0	4(0..8)	No influence ChSq=4.0 (95.5%) r=-0.1122
(♁) (⌘) (♁) MAXORB 02°	4	10(5..14)	Seldom ChSq=3.6 (94.2%) r=-0.0906
(♁) (♁) (♁) MAXORB 02°	12	7(2..13)	Often ChSq=3.6 (94.1%) r=0.0651
(Ⓓ) (♃) (♀) MAXORB 02°	12	7(3..11)	Often ChSq=3.6 (94.1%) r=0.0651
(♀) (♃) (♁) MAXORB 02°	12	7(4..14)	Often ChSq=3.6 (94.1%) r=0.0651
(♁) (⌘) (♁) MAXORB 02°	12	7(1..13)	Often ChSq=3.6 (94.1%) r=0.0651
(♁) (♁) (♁) MAXORB 02°	12	7(2..11)	Often ChSq=3.6 (94.1%) r=0.0651
(♁) (♁) (♁) MAXORB 02°	9	5(2..12)	Often ChSq=3.2 (92.6%) r=0.0604
(♁) (♁) (♁) MAXORB 02°	9	5(1..13)	Often ChSq=3.2 (92.6%) r=0.0604
(♁) (♁) (♁) MAXORB 02°	9	5(1..7)	Often ChSq=3.2 (92.6%) r=0.0604
(♀) (♁) (♀) MAXORB 02°	1	5(0..10)	Seldom ChSq=3.2 (92.6%) r=-0.0917
(♀) (♁) (♁) MAXORB 02°	1	5(2..13)	Seldom ChSq=3.2 (92.6%) r=-0.0917
(♁) (♁) (♁) MAXORB 02°	9	5(2..10)	Often ChSq=3.2 (92.6%) r=0.0604
(♁) (♁) (♁) MAXORB 02°	9	5(2..10)	Often ChSq=3.2 (92.6%) r=0.0604
(♁) (♁) (♁) MAXORB 02°	9	5(1..8)	Often ChSq=3.2 (92.6%) r=0.0604
(♁) (♁) (♁) MAXORB 02°	1	5(1..10)	Seldom ChSq=3.2 (92.6%) r=-0.0917
(♁) (⌘) (♁) MAXORB 02°	1	5(1..9)	Seldom ChSq=3.2 (92.6%) r=-0.0917
(♁) (♁) (♁) MAXORB 02°	1	5(1..9)	Seldom ChSq=3.2 (92.6%) r=-0.0917
(Ⓓ) (♁) (♀) MAXORB 02°	3	8(1..11)	Seldom ChSq=3.1 (92.3%) r=-0.0850
(♀) (♁) (♁) MAXORB 02°	3	8(4..11)	Seldom ChSq=3.1 (92.3%) r=-0.0850

(♁) (♌) (♃) MAXORB 02°	3	8 (2..13)	Seldom ChSq=3.1 (92.3%) r=-0.0850
(♁) (♋) (♃) MAXORB 02°	13	8 (3..12)	Often ChSq=3.1 (92.3%) r=0.0620
(♁) (♌) (♃) MAXORB 02°	13	8 (4..13)	Often ChSq=3.1 (92.3%) r=0.0620
(♁) (♍) (♃) MAXORB 02°	6	12 (7..16)	Seldom ChSq=3.0 (91.7%) r=-0.0802
(♃) (♋) (♃) MAXORB 02°	6	12 (6..19)	Seldom ChSq=3.0 (91.7%) r=-0.0802
(♃) (♋) (♃) MAXORB 02°	4	9 (4..19)	Seldom ChSq=2.8 (90.5%) r=-0.0783
(♁) (♌) (♃) MAXORB 02°	14	9 (3..14)	Often ChSq=2.8 (90.5%) r=0.0594
(♃) (♌) (♃) MAXORB 02°	4	9 (5..18)	Seldom ChSq=2.8 (90.5%) r=-0.0783
(♃) (♌) (♃) MAXORB 02°	4	9 (3..16)	Seldom ChSq=2.8 (90.5%) r=-0.0783
(♁) (♋) (♃) MAXORB 02°	2	6 (2..11)	Seldom ChSq=2.7 (89.7%) r=-0.0796
(♁) (♌) (♃) MAXORB 02°	2	6 (2..12)	Seldom ChSq=2.7 (89.7%) r=-0.0796
(♁) (♋) (♃) MAXORB 02°	2	6 (2..11)	Seldom ChSq=2.7 (89.7%) r=-0.0796
(♃) (♌) (♃) MAXORB 02°	10	6 (2..10)	Often ChSq=2.7 (89.7%) r=0.0566
(♁) (♌) (♃) MAXORB 02°	2	6 (2..11)	Seldom ChSq=2.7 (89.7%) r=-0.0796
(♁) (♌) (♃) MAXORB 02°	10	6 (2..11)	Often ChSq=2.7 (89.7%) r=0.0566
(♁) (♋) (♃) MAXORB 02°	2	6 (1..11)	Seldom ChSq=2.7 (89.7%) r=-0.0796
(♃) (♌) (♃) MAXORB 02°	2	6 (2..13)	Seldom ChSq=2.7 (89.7%) r=-0.0796
(♃) (♌) (♃) MAXORB 02°	2	6 (2..11)	Seldom ChSq=2.7 (89.7%) r=-0.0796
(♃) (♌) (♃) MAXORB 02°	2	6 (1..10)	Seldom ChSq=2.7 (89.7%) r=-0.0796
(♃) (♌) (♃) MAXORB 02°	2	6 (2..9)	Seldom ChSq=2.7 (89.7%) r=-0.0796
(♃) (♌) (♃) MAXORB 02°	2	6 (1..12)	Seldom ChSq=2.7 (89.7%) r=-0.0796

Sign on House Cusps

(♁) ∈ (♌)	23	34 (24..54)	Seldom ChSq=3.6 (94.1%) r=-0.0853
(♁) ∈ (♋)	20	30 (17..44)	Seldom ChSq=3.3 (93.2%) r=-0.0823
(♁) ∈ (♊)	37	28 (19..37)	Often ChSq=2.9 (91.1%) r=0.0658
(♁) ∈ (♋)	31	23 (14..35)	Often ChSq=2.8 (90.5%) r=0.0636
(♁) ∈ (♌)	15	23 (16..31)	Seldom ChSq=2.8 (90.5%) r=-0.0748
(♁) ∈ (♍)	21	30 (16..42)	Seldom ChSq=2.7 (90.0%) r=-0.0734
(♁) ∈ (♎)	32	24 (17..34)	Often ChSq=2.7 (89.7%) r=0.0626
(♁) ∈ (♏)	23	32 (19..42)	Seldom ChSq=2.5 (88.8%) r=-0.0710
(♁) ∈ (♐)	34	26 (16..36)	Often ChSq=2.5 (88.3%) r=0.0606
(♁) ∈ (♑)	27	20 (11..28)	Often ChSq=2.5 (88.3%) r=0.0593
(♁) ∈ (♒)	36	28 (15..40)	Often ChSq=2.3 (86.9%) r=0.0589
(♁) ∈ (♓)	22	30 (20..49)	Seldom ChSq=2.1 (85.6%) r=-0.0647
(♁) ∈ (♈)	30	23 (17..30)	Often ChSq=2.1 (85.5%) r=0.0561
(♁) ∈ (♉)	23	31 (20..44)	Seldom ChSq=2.1 (84.9%) r=-0.0636
(♁) ∈ (♊)	24	32 (23..43)	Seldom ChSq=2.0 (84.3%) r=-0.0626

House Cusp in Zodiac Elements

(II)€ (AIR SIGNS)	63	81(71..102)	Seldom ChSq=4.0 (95.5%) r=-0.0953
(V)€ (FIRE SIGNS)	96	79(64..93)	Often ChSq=3.7 (94.4%) r=0.0843
(II)€ (EARTH SIGNS)	90	75(54..89)	Often ChSq=3.0 (91.7%) r=0.0758
(VI)€ (AIR SIGNS)	69	82(68..95)	Seldom ChSq=2.1 (84.9%) r=-0.0677

House Cusp in Zodiac Qualities

(V)€ (FIXED SIGNS)	89	109(94..127)	Seldom ChSq=3.7 (94.4%) r=-0.0956
(VI)€ (II€ x €)	90	109(92..124)	Seldom ChSq=3.3 (93.1%) r=-0.0907
(As)€ (CARDINAL SIGNS)	89	107(92..133)	Seldom ChSq=3.0 (91.8%) r=-0.0863
(Mc)€ (CARDINAL SIGNS)	90	108(98..122)	Seldom ChSq=3.0 (91.7%) r=-0.0860
(V)€ (II€ x €)	123	108(92..115)	Often ChSq=2.1 (85.1%) r=0.0690

Planets in Houses

(Q)€ (Ds)	11	27(22..37)	Seldom ChSq=9.5 (99.8%) r=-0.1496
(D)€ (Mc)	13	27(16..37)	Seldom ChSq=7.3 (99.3%) r=-0.1278
(F)€ (As)	40	27(17..37)	Often ChSq=6.3 (98.8%) r=0.0938
(F)€ (VIII)	15	28(18..37)	Seldom ChSq=6.0 (98.6%) r=-0.1147
(Q)€ (VIII)	16	28(20..35)	Seldom ChSq=5.1 (97.7%) r=-0.1048
(M)€ (XI)	41	29(23..37)	Often ChSq=5.0 (97.4%) r=0.0850
(F)€ (Ds)	14	25(17..33)	Seldom ChSq=4.8 (97.2%) r=-0.1016
(O)€ (VIII)	16	27(21..35)	Seldom ChSq=4.5 (96.6%) r=-0.0971
(A)€ (As)	39	28(16..39)	Often ChSq=4.3 (96.2%) r=0.0794
(O)€ (V)	35	25(17..32)	Often ChSq=4.0 (95.5%) r=0.0758
(F)€ (II)	18	28(24..34)	Seldom ChSq=3.6 (94.1%) r=-0.0856
(Q)€ (As)	39	29(19..35)	Often ChSq=3.4 (93.7%) r=0.0717
(F)€ (Mc)	21	31(19..42)	Seldom ChSq=3.2 (92.7%) r=-0.0809
(O)€ (XI)	35	26(19..34)	Often ChSq=3.1 (92.2%) r=0.0677
(M)€ (XI)	17	26(15..38)	Seldom ChSq=3.1 (92.2%) r=-0.0794
(F)€ (VI)	19	28(19..42)	Seldom ChSq=2.9 (91.1%) r=-0.0762
(A)€ (VIII)	19	28(20..34)	Seldom ChSq=2.9 (91.1%) r=-0.0762
(F)€ (II)	35	27(17..36)	Often ChSq=2.4 (87.6%) r=0.0598
(F)€ (III)	28	21(10..29)	Often ChSq=2.3 (87.3%) r=0.0582
(M)€ (Ds)	36	28(19..39)	Often ChSq=2.3 (86.9%) r=0.0589
(M)€ (VIII)	20	28(17..41)	Seldom ChSq=2.3 (86.9%) r=-0.0671

(♅)∈(♁)	36	28(17..44)	Often ChSq=2.3 (86.9%) r=0.0589
(♁)∈(♁)	23	31(23..43)	Seldom ChSq=2.1 (84.9%) r=-0.0636
(♁)∈(♁)	31	24(19..32)	Often ChSq=2.0 (84.7%) r=0.0552
(♁)∈(♁)	24	32(21..43)	Seldom ChSq=2.0 (84.3%) r=-0.0626

Planets in Elements Houses

(♁)∈(♁ VII XII)	60	80(59..94)	Seldom ChSq=5.0 (97.5%) r=-0.1069
(♁)∈(♁ III IX XI)	100	81(68..100)	Often ChSq=4.5 (96.5%) r=0.0932
(♁)∈(♁ VI VIII)	63	81(67..97)	Seldom ChSq=4.0 (95.5%) r=-0.0953
(♁)∈(♁ V X)	95	79(62..92)	Often ChSq=3.2 (92.8%) r=0.0795

Planets in Cross Houses

(♅)∈(♁♁♁♁)	126	107(93..120)	Often ChSq=3.4 (93.3%) r=0.0873
(♁)∈(♁ III VI IX XII)	128	110(97..126)	Often ChSq=2.9 (91.4%) r=0.0823
(♁)∈(♁♁♁♁)	117	101(85..114)	Often ChSq=2.5 (88.8%) r=0.0746
(♅)∈(♁ III VI IX XII)	89	104(89..116)	Seldom ChSq=2.2 (85.9%) r=-0.0722
(♁)∈(♁♁♁♁)	90	105(88..117)	Seldom ChSq=2.1 (85.7%) r=-0.0720

Planets in Quadrants Houses

(♁)∈(♁♁ II III)	105	81(72..89)	Often ChSq=7.1 (99.2%) r=0.1168
(♁)∈(♁♁ VIII IX)	55	78(63..93)	Seldom ChSq=6.8 (99.1%) r=-0.1253
(♁)∈(♁♁ II III)	104	81(63..99)	Often ChSq=6.5 (99.0%) r=0.1121
(♁)∈(♁♁ VIII IX)	60	78(62..90)	Seldom ChSq=4.2 (95.8%) r=-0.0967
(♁)∈(♁♁ XI XII)	79	96(85..114)	Seldom ChSq=3.0 (91.7%) r=-0.0843
(♁)∈(♁♁ XI XII)	89	75(61..90)	Often ChSq=2.6 (89.4%) r=0.0709
(♁)∈(♁♁ VIII IX)	64	78(62..93)	Seldom ChSq=2.5 (88.7%) r=-0.0745
(♁)∈(♁♁ XI XII)	93	80(63..94)	Often ChSq=2.1 (85.4%) r=0.0647

Planet High or Low in the Chart

(♁) (♁) (♁) MAXORB 30"	36	50(40..62)	Seldom ChSq=3.9 (95.2%) r=-0.0907
(♁) (♁) (♁) MAXORB 30"	59	47(38..63)	Often ChSq=3.1 (92.0%) r=0.0713
(♁) (♁) (♁) MAXORB 30"	62	51(39..59)	Often ChSq=2.4 (87.7%) r=0.0637
(♁) (♁) (♁) MAXORB 30"	59	49(39..60)	Often ChSq=2.0 (84.7%) r=0.0590
(♁) (♁) (♁) MAXORB 30"	39	49(39..65)	Seldom ChSq=2.0 (84.7%) r=-0.0642

Intercepted Planets

☿ INTERCEPTED	20	32(21..47)	Seldom ChSq=4.5 (96.6%) r=-0.0971
♃ INTERCEPTED	26	35(26..47)	Seldom ChSq=2.3 (87.2%) r=-0.0677

Reception between Planets

♃ ZOD RECEPTION ☿	3	8(5..15)	Seldom ChSq=3.1 (92.3%) r=-0.0850
♁ ZOD RECEPTION ♂	0	3(0..7)	No influence ChSq=3.0 (91.7%) r=-0.0971
♁ ZOD RECEPTION ☿	19	13(8..22)	Often ChSq=2.8 (90.4%) r=0.0608

Reception between Houses

♁ RECEPTION ♁	6	1(0..3)	Often ChSq=25.0 (100.0%) r=0.1062
♁ RECEPTION ♁	4	1(0..5)	No influence ChSq=9.0 (99.7%) r=0.0753
♁ RECEPTION ♁	6	2(0..6)	Often ChSq=8.0 (99.5%) r=0.0796
♁ RECEPTION ♁	7	3(0..7)	Often ChSq=5.3 (97.9%) r=0.0713
♁ RECEPTION ♁	5	2(0..5)	Often ChSq=4.5 (96.6%) r=0.0637
♁ RECEPTION ♁	5	2(0..4)	Often ChSq=4.5 (96.6%) r=0.0637

Planetary Phases

7 ☿ PHASE	22	34(26..48)	Seldom ChSq=4.2 (96.0%) r=-0.0938
3 ☿ PHASE	50	38(27..47)	Often ChSq=3.8 (94.8%) r=0.0770
8 ♃ PHASE	49	38(28..45)	Often ChSq=3.2 (92.5%) r=0.0709
5 ♃ PHASE	54	43(33..62)	Often ChSq=2.8 (90.7%) r=0.0678
2 ♂ PHASE	20	28(20..42)	Seldom ChSq=2.3 (86.9%) r=-0.0671
7 ♃ PHASE	48	39(31..48)	Often ChSq=2.1 (85.0%) r=0.0580

Phase Aspects

(Q) (※) (♀) PHASE MAXORB 06"	37	23(17..32)	Often ChSq=8.5 (99.6%) r=0.1061
(Q) (♂) (♂) PHASE MAXORB 06"	22	12(6..17)	Often ChSq=8.3 (99.6%) r=0.0985
(Q) (※) (♂) PHASE MAXORB 06"	34	21(16..30)	Often ChSq=8.0 (99.5%) r=0.1025
(Q) (♂) (♂) PHASE MAXORB 06"	16	9(3..15)	Often ChSq=5.4 (98.0%) r=0.0798
(♂) (□) (♂) PHASE MAXORB 06"	34	23(15..28)	Often ChSq=5.3 (97.8%) r=0.0853
(♂) (Δ) (♂) PHASE MAXORB 06"	12	23(14..29)	Seldom ChSq=5.3 (97.8%) r=-0.1069
(Q) (♂) (♂) PHASE MAXORB 06"	21	13(8..21)	Often ChSq=4.9 (97.4%) r=0.0788
(Q) (♂) (♂) PHASE MAXORB 06"	17	10(6..19)	Often ChSq=4.9 (97.3%) r=0.0769
(♂) (※) (♂) PHASE MAXORB 06"	31	21(14..30)	Often ChSq=4.8 (97.1%) r=0.0809
(Q) (※) (♂) PHASE MAXORB 06"	31	21(13..32)	Often ChSq=4.8 (97.1%) r=0.0809
(♂) (※) (♂) PHASE MAXORB 06"	31	21(11..28)	Often ChSq=4.8 (97.1%) r=0.0809
(♂) (♂) (♂) PHASE MAXORB 06"	14	8(3..18)	Often ChSq=4.5 (96.6%) r=0.0728
(♂) (□) (Q) PHASE MAXORB 06"	13	23(10..34)	Seldom ChSq=4.3 (96.3%) r=-0.0959
(♂) (Δ) (♂) PHASE MAXORB 06"	13	22(14..34)	Seldom ChSq=3.7 (94.5%) r=-0.0875
(♂) (Δ) (♀) PHASE MAXORB 06"	31	22(11..39)	Often ChSq=3.7 (94.5%) r=0.0722
(♂) (※) (♂) PHASE MAXORB 06"	38	28(19..37)	Often ChSq=3.6 (94.1%) r=0.0727
(♂) (□) (♀) PHASE MAXORB 06"	26	18(12..29)	Often ChSq=3.6 (94.1%) r=0.0699
(♂) (♂) (♀) PHASE MAXORB 06"	17	11(5..17)	Often ChSq=3.3 (92.9%) r=0.0648
(♂) (※) (♂) PHASE MAXORB 06"	28	20(12..30)	Often ChSq=3.2 (92.6%) r=0.0671
(Q) (※) (♂) PHASE MAXORB 06"	28	20(12..29)	Often ChSq=3.2 (92.6%) r=0.0671
(♂) (□) (♂) PHASE MAXORB 06"	11	18(7..25)	Seldom ChSq=2.7 (90.1%) r=-0.0744

(♂) (□) (♂) PHASE MAXORB 06"	12	19(9..26)	Seldom ChSq=2.6 (89.2%) r=-0.0720
(Q) (♂) (♂) PHASE MAXORB 06"	5	10(6..14)	Seldom ChSq=2.5 (88.6%) r=-0.0730
(Q) (♂) (♀) PHASE MAXORB 06"	5	10(6..16)	Seldom ChSq=2.5 (88.6%) r=-0.0730
(Q) (Δ) (♀) PHASE MAXORB 06"	27	20(13..35)	Often ChSq=2.5 (88.3%) r=0.0593
(♂) (Δ) (♂) PHASE MAXORB 06"	14	21(9..30)	Seldom ChSq=2.3 (87.3%) r=-0.0680
(♂) (♂) (Q) PHASE MAXORB 06"	6	11(7..16)	Seldom ChSq=2.3 (86.8%) r=-0.0687
(♂) (♂) (♀) PHASE MAXORB 06"	6	11(2..16)	Seldom ChSq=2.3 (86.8%) r=-0.0687
(♂) (♂) (♀) PHASE MAXORB 06"	16	11(4..24)	Often ChSq=2.3 (86.8%) r=0.0550
(Q) (Δ) (♂) PHASE MAXORB 06"	16	23(16..30)	Seldom ChSq=2.1 (85.5%) r=-0.0647
(♂) (♂) (♀) PHASE MAXORB 06"	12	8(3..16)	Often ChSq=2.0 (84.3%) r=0.0508
(♂) (Δ) (♀) PHASE MAXORB 06"	24	18(13..27)	Often ChSq=2.0 (84.3%) r=0.0535

House Ruler in Signs

RULE OF ♁ IN ♈	48	32(25..39)	Often ChSq=8.0 (99.5%) r=0.1069
RULE OF ♋ IN ♏	16	31(22..39)	Seldom ChSq=7.3 (99.3%) r=-0.1271
RULE OF ♁ IN ♀	38	25(13..33)	Often ChSq=6.8 (99.1%) r=0.0964
RULE OF ♀ IN ♎	20	35(25..44)	Seldom ChSq=6.4 (98.9%) r=-0.1183
RULE OF ♁ IN ♏	10	21(11..33)	Seldom ChSq=5.8 (98.4%) r=-0.1132
RULE OF ♎ IN ♏	20	33(22..41)	Seldom ChSq=5.1 (97.6%) r=-0.1042
RULE OF ♋ IN ♎	35	24(11..36)	Often ChSq=5.0 (97.5%) r=0.0840
RULE OF III IN ♏	19	30(20..38)	Seldom ChSq=4.0 (95.6%) r=-0.0914
RULE OF ♁ IN ♏	15	25(15..34)	Seldom ChSq=4.0 (95.5%) r=-0.0913
RULE OF ♁ IN ♏	31	22(9..34)	Often ChSq=3.7 (94.5%) r=0.0722
RULE OF II IN ♎	32	23(13..34)	Often ChSq=3.5 (94.0%) r=0.0710
RULE OF ♎ IN ♏	34	25(16..31)	Often ChSq=3.2 (92.8%) r=0.0687
RULE OF ♏ IN ♏	13	21(13..28)	Seldom ChSq=3.0 (91.9%) r=-0.0788
RULE OF III IN ♎	14	22(16..36)	Seldom ChSq=2.9 (91.2%) r=-0.0767
RULE OF ♋ IN ♈	25	35(22..51)	Seldom ChSq=2.9 (90.9%) r=-0.0758
RULE OF ♎ IN ♎	25	35(24..45)	Seldom ChSq=2.9 (90.9%) r=-0.0758
RULE OF VI IN ♈	26	36(31..43)	Seldom ChSq=2.8 (90.5%) r=-0.0747
RULE OF ♁ IN ♏	18	26(12..41)	Seldom ChSq=2.5 (88.3%) r=-0.0699
RULE OF ♎ IN ♏	27	20(14..25)	Often ChSq=2.5 (88.3%) r=0.0593
RULE OF ♏ IN ♏	13	20(10..26)	Seldom ChSq=2.5 (88.3%) r=-0.0699
RULE OF VI IN ♎	28	21(10..30)	Often ChSq=2.3 (87.3%) r=0.0582
RULE OF VI IN ♎	26	35(27..43)	Seldom ChSq=2.3 (87.2%) r=-0.0677
RULE OF ♁ IN ♏	36	28(20..36)	Often ChSq=2.3 (86.9%) r=0.0589
RULE OF ♁ IN ♎	29	22(14..34)	Often ChSq=2.2 (86.4%) r=0.0571
RULE OF ♁ IN ♎	30	23(12..39)	Often ChSq=2.1 (85.5%) r=0.0561
RULE OF ♁ IN ♏	16	23(14..32)	Seldom ChSq=2.1 (85.5%) r=-0.0647
RULE OF ♀ IN ♎	30	23(12..31)	Often ChSq=2.1 (85.5%) r=0.0561

House Ruler in Houses

RULE OF Ds IN As	57	35(25..50)	Often ChSq=13.8 (100.0%) r=0.1386
RULE OF XI IN As	37	25(18..33)	Often ChSq=5.8 (98.4%) r=0.0896
RULE OF XII IN As	37	25(19..41)	Often ChSq=5.8 (98.4%) r=0.0896
RULE OF V IN VIII	14	26(15..37)	Seldom ChSq=5.5 (98.1%) r=-0.1095
RULE OF IX IN II	39	27(21..37)	Often ChSq=5.3 (97.9%) r=0.0872
RULE OF VIII IN Ic	40	28(14..42)	Often ChSq=5.1 (97.7%) r=0.0860
RULE OF As IN XI	32	22(16..30)	Often ChSq=4.5 (96.7%) r=0.0795
RULE OF VIII IN VIII	12	22(12..36)	Seldom ChSq=4.5 (96.7%) r=-0.0985
RULE OF As IN VI	17	28(16..38)	Seldom ChSq=4.3 (96.2%) r=-0.0951
RULE OF VI IN IX	34	24(19..35)	Often ChSq=4.2 (95.9%) r=0.0770
RULE OF Ic IN VIII	13	22(16..27)	Seldom ChSq=3.7 (94.5%) r=-0.0875
RULE OF Ds IN XII	18	28(20..37)	Seldom ChSq=3.6 (94.1%) r=-0.0856
RULE OF Ds IN VI	11	19(10..32)	Seldom ChSq=3.4 (93.3%) r=-0.0836
RULE OF Ic IN Ds	16	25(17..32)	Seldom ChSq=3.2 (92.8%) r=-0.0812
RULE OF II IN IX	42	33(17..46)	Often ChSq=2.5 (88.3%) r=0.0618
RULE OF XI IN VIII	27	36(28..45)	Seldom ChSq=2.3 (86.6%) r=-0.0668
RULE OF Ds IN Ds	15	22(15..33)	Seldom ChSq=2.2 (86.4%) r=-0.0663
RULE OF V IN As	38	30(22..41)	Often ChSq=2.1 (85.6%) r=0.0574
RULE OF XI IN XI	31	24(16..37)	Often ChSq=2.0 (84.7%) r=0.0552
RULE OF V IN Ic	24	18(11..27)	Often ChSq=2.0 (84.3%) r=0.0535